INDEX FOR VOLUME 66

Compiled by Melissa R. Sette-Lake, Wisconsin Department of Natural Resources, Madison

A

Abandonment: 1255–1266
Abies amabilis, see Fir, Pacific silver
Abies balsamea, see Fir, balsam
Abies concolor, see Fir, white
Abies grandis, see Fir, grand
Abies lasiocarpa, see Fir, subalpine
Abomasitis: 478–490
Acacia greggii, see Catclaw
Acacia sophorae, see Wattle, coast
Accipiter gentilis, see Goshawk, northern
Acer macrophyllum, see Maple, bigleaf
Acer negundo, see Boxelder
Acer rubrum, see Maple, red
Acer saccharum, see Maple, sugar
Acer spicatum, see Maple, mountain
Acer spp., *see* Maple
Acorn: 528–535
Acridotheres javanicus, see Myna, white-vented
Acridotheres tristis, see Myna, common
Acris gryllus, see Frog, southern cricket
Activity pattern: 859–864
  activity patterns and time budgets of the declining sea otter population at Amchitka Island, Alaska, 29–39
Adaptive kernel estimation: 125–130, 481–490, 740–746, 1064–1082, 1171–1178
Adaptive resource management: 275, 922–923
Adenostoma fasciculatum, see Chamise
Adkins, Jessica Y., *see* Roby, Daniel D.
Aechmophorus clarkii, see Grebe, western
Aepyceros melampus, see Impala
Age:
  effects of male age and female nutritional condition on elk reproduction, 1301–1307
Agelaius phoeniceus, see Blackbird, red-winged
Aggregation:
  the inherent aggravation of aggregation: an example with elk aerial survey data, 776–787
***Agkistrodon contortrix*:** 605–617
Agriculture: 128–129, 138–152, 171–180, 202–211, 233, 381–391, 472–477, 522–527, 574–580, 634–640, 718–728, 822–832, 883–900, 901–911, 985–992, 1023–1030, 1040–1051, 1235–1245
  capsicum oleoresin as an elephant repellent: field trials in the communal lands of Zimbabwe, 674–677
  factors affecting predation at songbird nests in old fields, 240–249
  habitat use by cottontail rabbits across multiple spatial scales in Mississippi, 1171–1178
  long-term response of northern pintails to changes in wetlands and agriculture in the Canadian Prairie Pothole Region, 993–1010
  wildlife damage to corn in Pennsylvania: farmer and on-the-ground estimates, 678–682
Agropyron desertorum, see Grass, wheat
AIC, *see* Akaike's Information Criterion
Ailuropoda melanoleuca, see Panda, giant
Aimophila aestivalis, see Sparrow, Bachman's
Aircraft: 107–108, 251–258, 492, 833–838, 1208–1223, 1267–1272
Akaike weights: 1224–1234
Akaike's Information Criterion: 110–122, 133–137, 185–193, 232–239, 242–249, 284–291, 300–309, 354–360, 500–510, 634–640, 729–736, 757–775, 865–873, 901–911, 969–975, 993–1010, 1011–1022, 1023–1030, 1052–1063, 1118–1127, 1224–1234, 1246–1254
  avoiding pitfalls when using information–theoretic methods, 912–918
Alabama: 86–90, 425–432
Alaska: 29–39, 140–152, 339–347, 747–756, 901–911, 1197–1207, 1208–1223
Alberta: 82, 433–444, 458, 551–563, 883–900, 993–1010, 1270
Albumin: 1197–1207
Alces alces, see Moose
Alces alces gigas, see Moose
Alder: 788–795
Alder, red: 393–406, 747–756
Aldridge, Cameron L., and R. Mark Brigham. Sage-grouse nesting and brood habitat use in southern Canada, 433–444
Alectoris rufa, see Partridge, red-legged
Alfalfa: 140, 463–469, 1011–1022
Alisauskas, Ray T. Arctic climate, spring nutrition, and recruitment in mid-continent lesser snow geese, 181–193
Allele: 321–329
Allen, David Elliston:
  wildlife biology and natural history: time for a reunion, 933–946 — Invited Paper
Allium spp., *see* Onion
All-terrain vehicle: 132, 839–848
Almond, tropical: 1118–1127, 1128–1133
Alnus incana spp. *tenuifolia, see* Alder
Alnus rubra, see Alder, red
Alopex lagopus, see Fox, arctic
Altitude:
  body mass of moose calves along an altitudinal gradient, 91–97
Ambrosia dumosa, see Bush, burro
***Ambystoma mabeei*:** 605–617
Ambystoma opacum, see Salamander, marbled
Ambystoma talpoideum, see Salamander, mole
Ameiurus nebulosus, see Bullhead, brown
American Samoa: 1154–1163
Ammodramus henslowii, see Sparrow, Henslow's

Ammodramus savannarum, see Sparrow, grasshopper
Ammodytes hexapterus, see Lance, Pacific sand
Ammodytes hexapterus, see Lance, sand
Ammophila arenaria, see Grass, European beach
Amphibians:
multiscale habitat relationships of stream amphibians in the Klamath–Siskiyou region of California and Oregon, 581–602
response of isolated wetland herpetofauna to upland forest management, 603–617
Analyses, sensitivity:
sensitivity analyses of the life cycle of midcontinent mallards, 883–900
Analysis, intervention: 922–923
Analysis, perturbation: 894
Anas acuta, see Pintail, northern
Anas discors, see Teal, blue-winged
Anas platyrhynchos, see Mallard
Anas rubripes, see Duck, American black
Anas strepera, see Gadwall
Anchor, Chris L., *see* Etter, Dwayne R.
Anchovies: 662–673
Andersen, Reidar, *see* Odden, John
Anderson, David R., and Kenneth P. Burnham. Avoiding pitfalls when using information–theoretic methods, 912–918
Anderson, Don G., *see* Patterson, Brent R.
Anderson, Joel D., Rodney L. Honeycutt, Roberta A. Gonzales, Kenneth L. Gee, Loren C. Skow, Rachel L. Gallagher, Dierdre A. Honeycutt, and Randy W. DeYoung. Development of microsatellite DNA markers for the automated genetic characterization of white-tailed deer populations, 67–74
Anderson, Michael G., *see* Arnold, Todd W.
Anderson, Stanley H., *see* Gutzwiller, Kevin J.
Andropogon gerardii, see Grass, big bluestem
Andropogon virginicus, see Broomsedge
Aneides flavipunctatus, see Salamander, black
***Aneurolepidium chinense*:** 40–47
Angsana: 1118–1127
characteristics of nocturnal roosts of house crows in Singapore, 1128–1133
Anole, green:
response of isolated wetland herpetofauna to upland forest management, 603–617
Anolis carolinensis, see Anole, green
Anser albifrons, see Goose, white-fronted
Ant: 229, 1077
Ant, carpenter: 403
Antelope: 83
Antelope, pronghorn: 555–563
Anthelmintic thiabedazole:
conditioned taste aversion can reduce egg predation by rats, 1134–1140
Anthony, Robert G., *see* Ricca, Mark A.
Antilocapra americana, see Antelope, pronghorn
Antilope cervicapra, see Blackbuck
Antlers: 534, 560, 1305
Antrozous pallidus, see Bat, pallid
Anurans: 605–617
Apalachicola National Forest: 1075–1078
Aplonis panayensis, see Starling, Asian glossy
Appalachian Mountains: 417–424
Apple: 822–832
Apple, tropical: 1118–1127
Aptocyclus ventricosus, see Lumpsucker, smooth
Aquaculture:
foraging ecology and depredation management of great blue herons at Mississippi catfish farms, 194–201
Aquila chrysaetos, see Eagle, golden
Arbutus: 1141–1147
Arbutus menziesii, see Arbutus
Arbutus menziesii, see Madrone
***Arbutus unedo*:** 49–58
Arctostaphylos patula, see Manzanita
Ardea herodias, see Heron, great blue
Arizona: 7–8, 618–624, 969–975, 1047, 1096–1103, 1267–1272
Arkansas: 213, 1031–1039
Arnold, Todd W., Michael G. Anderson, Michael D. Sorenson, and Robert B. Emery. Survival and philopatry of female redheads breeding in southwestern Manitoba, 162–169
Arrowweed: 1283–1289
Arsenic: 811–821
Artemisia cana, see Sagebrush, silver
Artemisia frigida, see Sage, pasture
Artemisia tridentata, see Sagebrush, big
Artificial neural network: 1040–1051
Ascaphus truei, see Frog, tailed
Asclepias spp., *see* Milkweed
Ash: 822–832
Ash, black: 698–717
Ash, mountain: 92–97
Ash, white: 528–535
Asia: 1118–1127, 1128–1133
Aspect: 584–602
Aspen: 92–97, 163–169, 171–180, 223–231, 400, 698–717, 757–775, 788–795
Aspen, largetooth: 718–728
Aspen, trembling: 698–717, 718–728, 747–756, 985–992
Aspergillosis: 901–911
Ass, Asiatic wild: 744–745
Aster foliaceus, see Aster, leafy
Aster, leafy: 1246–1254
Atriplex confertifolia, see Shadscale
Atriplex farcata, see Saltbush, sickle
ATV, *see* All-terrain vehicle
Aubry, Keith B., and Catherine M. Raley. Selection of nest and roost trees by pileated woodpeckers in coastal forests of Washington, 392–406
Auklet, Cassin's: 1208
Austin, Jane E., Diane A. Granfors, Michael A. Johnson, and Stanley C. Kohn. Scaup migration patterns in North Dakota relative to temperatures and water conditions, 874–882
Australia: 59–66, 137, 470–477, 1118–1127, 1283

Automated fragment analysis: 68
Averill-Murray, Roy C., *see* Swann, Don E.
Aythya affinis, see Scaup, lesser
Aythya collaris, see Duck, ring-necked
Aythya ferina, see Pochard, common
Aythya marila, see Scaup, greater
Aythya valisineria, see Canvasback

B

Baccharis pilularis, see Coyotebush
BACI, *see* Model, before–after, control–impact
Badger: 684, 941
Baeolophus bicolor, see Titmouse, tufted
Baiting: 425–432
Baker, Thomas H., *see* Wolfe, Lisa L.
Baldassarre, Guy A., *see* Bogner, Heidi E.
Ball, I. J., *see* Hoekman, Steven T.
Ball, John P., *see* Ericsson, Göran
Ball, Lianne C. A strategy for describing and monitoring bat habitat, 1148–1153
Ballard, Bart M., *see* Glenn, Travis C.
Ballard, Warren B., *see* Sabine, Dwayne L.
———, *see* Kamler, Jan F.
———, *see* Marshal, Jason P.
Bamboo: 1179–1188
Banack, Sandra Anne, and Gilbert S. Grant. Spatial and temporal movement patterns of the flying fox, *Pteropus tonganus*, in American Samoa, 1154–1163
Banana: 1154–1163
Band, leg: 163, 171–180, 349, 382, 408, 1052–1063
band recovery and recapture rates of American black ducks and mallards, 153–161, 275
consequences of neckband and legband loss from giant Canada geese, 353–360
Band, neck: 300
consequences of neckband and legband loss from giant Canada geese, 353–360
Bar-David, Shirli, *see* Dolev, Amit
Barley: 140
***Barringtonia asiatica*:** 1154–1163
Bartos, Ludek, Dominika Vankova, Karl V. Miller, and Jiri Siler. Interspecific competition between white-tailed, fallow, red, and roe deer, 522–527
Bashania fargesii, see Bamboo
Basswood: 125–130
Bat:
effects of cave tours on breeding *Myotis velifer*, 618–624
a strategy for describing and monitoring bat habitat, 1148–1153
Bat, big brown: 1148–1153
Bat, big free-tailed: 1151–1153
Bat, mastiff: 1151–1153
Bat, pallid:
a strategy for describing and monitoring bat habitat, 1148–1153
Batrachoseps attenuatus, see Salamander, California slender
Baum, Kristen A., *see* Saenz, Daniel
Bayesian Information Criterion: 913–918, 920–932
Bear, black: 101–102, 518, 678–682, 698–717, 747–756, 1138, 1309
Bear, brown: 98, 101–102, 747–756, 773
Bear, polar: 1208
Beaver: 698–717, 1164
influences of herbivory and water on willow in elk winter range, 788–795
Beaver, Eurasian:
sex and age composition of spring-hunted Eurasian beaver in Norway, 1164–1170
Beech: 408–416, 418–424
Beetle, ambrosia: 625–633
Beetle, bark boring: 222–231
Beetle, Douglas-fir: 625–633
Beetle, mountain pine: 625–633
Beetle, pine engraver: 625–633
Beetle, southern pine: 1092–1095
Behavior:
activity patterns and time budgets of the declining sea otter population at Amchitka Island, Alaska, 29–39
Beier, Paul, *see* Dickson, Brett G.
Ben-David, Merav, Gail M. Blundell, and John E. Blake. Post-release survival of river otters: effects of exposure to crude oil and captivity, 1208–1223
Benjamin, Lawrence K., *see* Patterson, Brent R.
Bernhardt, Glen, *see* Blackwell, Bradley F.
Bertram, Mark R., and Michael T. Vivion. Moose mortality in eastern interior Alaska, 747–756
Best, Louis B., and Tamara R. Stafford. Influence of daily grit consumption rate and diet on gizzard grit counts, 381–391
Betula alleghaniensis, see Birch, yellow
Betula glandulosa, see Birch, glandular
Betula nigra, see Birch, river
Betula occidentalis, see Birch, river
Betula papyrifera, see Birch, paper
Betula papyrifera, see Birch, white
Betula pumila, see Birch, bog
Betula spp., *see* Birch
BIC, *see* Bayesian Information Criterion
Bioaccumulation: 908
using raccoons as an indicator species for metal accumulation across trophic levels: a stable isotope approach, 811–821
Bioelectrical impedance analysis: 1208–1223
Biology, wildlife:
wildlife biology and natural history: time for a reunion, 933–946 — Invited Paper
Biomagnification:
using raccoons as an indicator species for metal accumulation across trophic levels: a stable isotope approach, 811–821
Biomarker, health index: 1197–1207, 1209
Birch: 92–97, 99–105, 418–424, 683–697, 747–756, 788–795
Birch, bog: 788–795
Birch, glandular: 747–756
Birch, river: 528–535, 788–795

Birch, white: 223–231, 698–717, 718–728, 747–756, 1290–1300
Birch, yellow: 1290–1300
Bison: 1036
bison and elk: brucellosis seroprevalence on a shared winter range, 1246–1254
Bison bison, see Bison
Bitterbrush, antelope: 729–736, 788–795
Bittern, least:
the effectiveness of call–response surveys for detecting least bitterns, 976–984
Blackberry: 234, 241–249, 1171–1178
Blackbird, red-winged: 203, 209, 250–258, 678–682, 1011–1022, 1119
Blackbird, yellow-headed: 937
Blackbuck: 555–563
Blackwell, Bradley F., Glen Bernhardt, and Richard A. Dolbeer. Lasers as nonlethal avian repellents, 250–258
Blake, John E., *see* Ben-David, Merav
Blanchong, Julie A., Kim T. Scribner, and Scott R. Winterstein. Assignment of individuals to populations: Bayesian methods and multi-locus genotypes, 321–329
Bleich, Vernon C., *see* Marshal, Jason P.
Blejwas, Karen M., Benjamin N. Sacks, Michael M. Jaeger, and Dale R. McCullough. The effectiveness of selective removal of breeding coyotes in reducing sheep predation, 451–462
Blennosperma nanum var. *robustum*, see Blennosperma, Point Reyes
Blennosperma, Point Reyes: 478–490
Blood: 68, 811–821, 1141–1147, 1273–1282
blood chemistry, hematology, and morphology of wild harbor seal pups in Alaska, 1197–1207
Blue Ridge Mountains: 417–424
Blueberry: 605–617, 634–640, 747–756
Bluebird, eastern: 641–661
Bluegill: 811–821
Blundell, Gail M., *see* Ben-David, Merav
———, *see* Bowyer, R. Terry
Boar, wild: 526
line transect estimates of ungulate populations in a Mediterranean forest, 48–58
Boat:
probability of detecting marbled murrelets at sea: effects of single versus paired observers, 865–873
Bobcat: 485–490, 515–520, 698–717, 1235–1245, 1255–1266, 1283–1289
microhabitat use by bobcats in southern Illinois, 822–832
survival of unexploited bobcats in southern Illinois, 833–838
Bobolink: 929–932, 1011–1022
Bobwhite, masked: 7
Bobwhite, northern: 209, 1177
breeding bird response to midstory hardwood reduction in Florida sandhill longleaf pine forests, 641–661
influence of daily grit consumption rate and diet on gizzard grit counts, 381–391
the legacy of bobwhite research in Texas, 1–18 — Invited Paper
northern bobwhite population and habitat response to pine–grassland restoration, 1031–1039
relative abundance of bobwhites in relation to weather and land use, 1040–1051
Body condition: 170–193
Bogner, Heidi E., and Guy A. Baldassarre. The effectiveness of call–response surveys for detecting least bitterns, 976–984
Bollworm, cotton: 940
Bond, Bobby T., L. Wes Burger, Jr., Bruce D. Leopold, Jeanne C. Jones, and K. David Godwin. Habitat use by cottontail rabbits across multiple spatial scales in Mississippi, 1171–1178
Bone collagen: 811–821
Bootstrapping: 280–291
Borer, flatheaded: 625–633
Boring, C. Shane, *see* Gaines, Karen F.
Bos taurus, see Cattle
Bottleneck, demographic: 891–895
Bouteloua gracilis, see Grass, blue grama
Bovine spongiform encephalopathy: 551–563
Bowden, David C., *see* Lubow, Bruce C.
Bowman, Jeff, *see* Sabine, Dwayne L.
Bowyer, R. Terry, Kelley M. Stewart, Scott A. Wolfe, Gail M. Blundell, Karin L. Lehmkuhl, Philip J. Joy, Thomas J. McDonough, and John G. Kie. Assessing sexual segregation in deer, 536–544
Boxelder: 125–130
Boyce, Walter M., *see* Ernest, Holly B.
———, *see* Rubin, Esther S.
Brachiaria ramosa, see Millet, brown top
Brachylagus idahoensis, see Rabbit, pygmy
Brachyramphus marmoratus, see Murrelet, marbled
Brandeis, Thomas J., Michael Newton, Gregory M. Filip, and Elizabeth C. Cole. Cavity-nester habitat development in artificially made Douglas-fir snags, 625–633
Brant: 190
Branta bernicla, see Brant
Branta canadensis hutchinsii, see Goose, Canada
Branta canadensis leucopareia, see Goose, Aleutian Canada
Branta canadensis occidentalis, see Goose, dusky Canada
Branta canadensis, see Goose, Canada
Branta leucopsis, see Goose, barnacle
Brasher, Michael G., Richard M. Kaminski, and L. Wes Burger, Jr. Evaluation of indicated breeding pair criteria to estimate mallard breeding populations, 985–992
Brennan, Leonard A., *see* Provencher, Louis
Breton, Laurier, *see* Girard, Irene
Brigham, R. Mark, *see* Aldridge, Cameron L.
British Columbia: 1141–1147
Brittingham, Margaret C., *see* Tzilkowski, Walter M.
Brome, smooth: 1011–1022
Bromus inermis, see Brome, smooth
Bromus tectorum, see Grass, cheat
Bronchitis: 478–490
Brook, Barry W., *see* Yap, Charlotte A.-M.
Brooks, George C., *see* Howell, Judd A.
Broom: 131–137, 1141–1147

Broomsedge: 658
Brown, David R., Cheryl M. Strong, and Philip C. Stouffer. Demographic effects of habitat selection by hermit thrushes wintering in a pine plantation landscape, 407–416
Brown, Robert G., *see* Fraker, Mark A.
Browse line: 128
Brucella abortus, see Brucellosis
Brucellosis: 1303–1307
bison and elk: brucellosis seroprevalence on a shared winter range, 1246–1254
Bubo virginianus, see Owl, great horned
Bubulcus ibis, see Egret, cattle
Buckthorn: 125–130
Budnik, Joel M., Frank R.Thompson, III, and Mark R. Ryan. Effect of habitat characteristics on the probability of parasitism and predation of Bell's vireo nests, 232–239
Budworm, spruce: 203
Buehler, David A., *see* Dettmers, Randy
Buenos Aires National Wildlife Refuge: 1096–1103
Bufo quercicus, see Toad, oak
Bufo terrestris, see Toad, southern
Bulgaria: 522–527
Bullfrog:
response of isolated wetland herpetofauna to upland forest management, 603–617
Bullhead, brown: 811–821
Bulte, Erwin H., and Richard D. Horan. Does human population growth increase wildlife harvesting? An economic assessment, 574–580
Bunting, indigo: 236–239, 417–424, 641–661
factors affecting predation at songbird nests in old fields, 240–249
Buprestis spp., *see* Borer, flatheaded
Burger, Joanna, *see* Gaines, Karen F.
Burger, L. Wes, Jr., *see* Bond, Bobby T.
———, *see* Brasher, Michael G.
Burhans, Dirk E., Donald Dearborn, Frank R. Thompson, III, and John Faaborg. Factors affecting predation at songbird nests in old fields, 240–249
Burkepile, Nathan A., David G. Hewitt, Gary L. Waggerman, Michael F. Small, and Eric C. Hellgren. Effects of methyl parathion on white-winged dove productivity and reproductive behavior, 202–211
Burnham, Kenneth P., *see* Anderson, David R.
———, *see* Wolfe, Lisa L.
Burreed: 976–984
Burro, feral: 1283–1289
Bush, burro: 1283–1289
Bush, cheese: 1283–1289
Bush, creosote: 1283–1289
Bushmeat:
does human population growth increase wildlife harvesting? An economic assessment, 574–580
Buteo jamaicensis, see Hawk, red-tailed
Buteo lineatus, see Hawk, red-shouldered
Buteo platypterus, see Hawk, broad-winged
Butterfly, Myrtle's silverspot: 478–490

C

Cabbage tree: 131–137
Cachexia: 834–836
Cactaceae: 1096–1103
Cactus, ball: 433–444
Cactus, Key tree: 947–968
Cactus, prickly pear: 9, 433–444
Cadmium: 811–821
Cage, nest: 361–371
Calcium: 1–18, 25–432, 1197–1207
Caley, Peter A., and Craig G. Morley. Assessing growth rates of European rabbit populations using spotlight transect counts, 131–137
California: 19–28, 75–85, 138–152, 176, 232, 392, 401, 451–462, 478–490, 581–602, 724–728, 729, 796–810, 853–857, 865–873, 901–911, 1235–1245, 1270–1271, 1283–1289
Callipepla gambelii, see Quail, Gambel's
Callipepla squamata, see Quail, scaled
Callorhinus ursinus, see Seal, northern fur
Calvinist theology: 947–968
***Calycotome villosa*:** 737–746
Cam, Emmanuelle, *see* Link, William A.
Cambaridae: 811–821
Camera, motion-sensitive: 1112–1117
Camponotus spp., *see* Ant, carpenter
Campsis radicans, see Creeper, trumpet
Canada: 82, 140–152, 162–193, 222–231, 361–371, 400, 433–444, 551–563, 718–728, 883–900, 985–992, 993–1010, 1104–1111, 1141–1147, 1290–1300
***Canarium vitiense*:** 1154–1163
Canis familiaris, see Dog, domestic
Canis familiaris dingo, see Dingo
Canis familiaris hallstromi, see Dog, New Guinea
Canis latrans, see Coyote
Canis lupus, see Wolf
Cannabalism: 82
Canvasback: 153, 163, 170
Canyon:
distribution and habitat selection of canyon wrens, Lower Salmon River, Idaho, 1104–1111
habitat selection by riparian songbirds breeding in southern Arizona, 1096–1103
Capelin: 1211
Capercaillie: 99
Capillaria spp., *see* Nematode, gastrointestinal
Capreolus capreolus italicus, see Deer, roe
Caprifoliaceae: 1096–1103
Caprimulgus carolinensis, see Chuck-will's-widow
Capsicum oleoresin:
capsicum oleoresin as an elephant repellent: field trials in the communal lands of Zimbabwe, 674–677
Captivity:
post-release survival of river otters: effects of exposure to crude oil and captivity, 1208–1223
Capture myopathy: 482, 834, 1255–1266
Carapace: 969–975
Carbachol: 1134

Cardinal, northern:
breeding bird response to midstory hardwood reduction in Florida sandhill longleaf pine forests, 641–661
habitat selection by riparian songbirds breeding in southern Arizona, 1096–1103
Cardinalis cardinalis, see Cardinal, northern
Carduelis spp., *see* Goldfinch
Carduelis tristis, see Goldfinch, American
Caretta caretta, see Turtle, loggerhead
Carex geyeri, see Sedge, elk
Carex rossii, see Sedge, Ross's
Carex spp.: 43–47
Caribou: 44, 68, 94, 99
Carphophis amoenus, see Snake, worm
Carranza, J., *see* Martínez, J. G.
Carrying capacity: 508–510, 528–535, 536–544, 1288–1289
Carter, Jay H., III, *see* Walters, Jeffrey R.
Carya spp., *see* Hickory
Cassia obtusifolia, see Sickle pod
Cassia spectabilis, see Cassia, droopy
Cassia, droopy: 1118–1127
Castellini, Michael A., *see* Trumble, Stephen J.
Castor canadensis, see Beaver
Castor fiber, see Beaver, Eurasian
Caswell-Chen, Edward P., *see* Rubin, Esther S.
Cat, domestic: 1145, 1224–1234
Catclaw: 1283–1289
Catfish, channel:
foraging ecology and depredation management of great blue herons at Mississippi catfish farms, 194–201
Cathartes aura, see Vulture, turkey
Catharus fuscescens, see Veery
Catharus guttatus audoboni, see Thrush, hermit
Catharus guttatus, see Thrush, hermit
Catherpes mexicanus, see Wren, canyon
Catostomus spp., *see* Sucker
Cattail: 976–984, 1284–1289
Cattle: 1–18, 46, 67–74, 98–105, 442, 478, 899, 933–946, 1040–1051, 1235–1245, 1267–1272
bison and elk: brucellosis seroprevalence on a shared winter range, 1246–1254
Causation: 923–932
Cave myotis:
effects of cave tours on breeding *Myotis velifer*, 618–624
Cave: 618–624, 969–975
Cavities, artificial: 212–221
cavity-nester habitat development in artificially made Douglas-fir snags, 625–633
processes regulating the population dynamics of red-cockaded woodpecker cavities, 1083–1095
Cavities, nest: 222, 1068–1082
cavity-nester habitat development in artificially made Douglas-fir snags, 625–633
distribution and habitat selection of canyon wrens, Lower Salmon River, Idaho, 1104–1111
processes regulating the population dynamics of red-cockaded woodpecker cavities, 1083–1095
Ceanothus velutinus, see Ceanothus, snowbrush
Ceanothus, snowbrush: 729–736
Cedar, eastern red: 241–249, 528–535
Cedar, northern white: 698–717, 718–728
Cedar, salt: 1283–1289
Cedar, western red: 392–406, 491–499, 1141–1147
Celtis reticulata, see Hackberry, netleaf
Cementum annuli: 453–462, 500–510, 811–821, 1166, 1210, 1303–1307
Cemophora coccinea, see Snake, scarlet
Centrocercus urophasianus, see Grouse, sage-
Cephalophus spp., *see* Duiker
Cepphus columba, see Guillemot, pigeon
Cercidium floridum, see Palo verde
Cervus elaphus, see Deer, red
Cervus elaphus, see Elk
Cervus elaphus, see Elk, Yellowstone
Cervus elaphus nannodes, see Elk, Tule
Cervus elaphus nelsoni, see Elk, Rocky Mountain
Cervus elaphus roosevelti, see Elk, Roosevelt
Chamise: 75–85
Chang, Kang-Tsung, *see* Svancara, Leona K.
Charadrius alexandrinus, see Plover, snowy
Charadrius melodus, see Plover, piping
Chat, red-breasted: 236–239
Chat, yellow-breasted: 247–249
breeding bird response to midstory hardwood reduction in Florida sandhill longleaf pine forests, 641–661
***Chelonia mydas*:** 947–968
Chelsvig, James E., *see* Etter, Dwayne R.
***Chelydra serpentine*:** 605–617
Chen caerulescens, see Goose, lesser snow
Chen canagica, see Goose, emperor
Chen rossii, see Goose, Ross's
Cherry, black: 634–640
Chickadee, Carolina: 417–424
breeding bird response to midstory hardwood reduction in Florida sandhill longleaf pine forests, 641–661
China: 40–47, 1179–1188
Chionochloa spp., *see* Tussock
Chloride: 1197–1207
Cholera, avian: 901–911
Cholesterol: 1197–1207
Chordeiles minor, see Nighthawk, common
Choristoneura fumiferana, see Budworm, spruce
Christian stewardship: 947–968
Chuck-will's-widow: 641–661
Cinclus cinclus, see Dipper, Eurasian
Cinclus mexicanus, see Dipper, American
Cinnamomum iners, see Cinnamon, wild
Cinnamon, wild: 1118–1127, 1128–1133
Cinquefoil: 788–795
Cistothorus platensis, see Wren, sedge
***Cistus incanus*:** 49–58
Clark, Joseph D., *see* Janis, Michael W.
Clark, Robert G., *see* Gendron, Michel
Clark, William R., *see* Kuehl, Aaron K.
Clearcut: 408–416, 418–424, 581, 600, 605–617, 634–640
***Cleistogenes squarrosa*:** 40–47
***Clemmys guttata*:** 605–617

Cleveland National Forest: 1235–1245
Climate: 93–96, 478–490, 581–600
arctic climate, spring nutrition, and recruitment in mid-continent lesser snow geese, 181–193
long-term response of northern pintails to changes in wetlands and agriculture in the Canadian Prairie Pothole Region, 993–1010
migration behavior of white-tailed deer under varying winter climate regimes in New Brunswick, 718–728
the northern Yellowstone elk: density dependence and climatic conditions, 106–122
Clover, red: 1011–1022
Clover, San Francisco owl's: 478–490
Clover, sub: 9
Clupea pallasi, see Herring, Pacific
Clupea spp., *see* Herring, Pacific
Cluster size: 48–58
Cnemidophorus sexlineatus, see Six-lined racerunner
Coccyzus americanus, see Cuckoo, yellow-billed
Cocos nucifera: 1154–1163
Colaptes auratus, see Flicker, northern
Cole, Elizabeth C., *see* Brandeis, Thomas J.
Coleoptera: 811–821
Colinus californica, see Quail, California
Colinus virginianus, see Bobwhite, northern
Colinus virginianus ridgwayi, see Bobwhite, masked
Colitis: 478–490
Collar, colored: 61, 1141–1147
Collar, toxic livestock protection: 103, 451–462
Collis, Ken, *see* Roby, Daniel D.
Colony: 662–673
Colorado: 83, 303, 441, 551–563, 564–573, 729–736, 788–795, 853–857, 1306
Coluber constrictor, see Snake, black racer
Coluber constrictor, see Snake, blue racer
Coluccy, John M., Ronald D. Drobney, Richard M. Pace, III, and David A. Graber. Consequences of neckband and legband loss from giant Canada geese, 353–360
Columba fasciata fasciata, see Pigeon, band-tail
Columba livia, see Dove, rock
Common yellowthroat: 641–661, 1011–1022
Competition, interspecific: 170–180
interspecific competition between white-tailed, fallow, red, and roe deer, 522–527
parasite-mediated competition among red-legged partridges and other lowland gamebirds, 445–450
Competition, intraspecific: 31
Condition index: 153–161
Condor, California: 919
wildlife biology and natural history: time for a reunion, 933–946 — Invited Paper
Conner, L. Mike, *see* Jones, David D.
Conner, Mary M., *see* Wolfe, Lisa L.
Conner, Richard N., *see* Saenz, Daniel
Conservation Reserve Program: 1006, 1011–1022, 1171–1178, 1224–1234
Conserved soil moisture: 993–1010
Conway, Warren C., *see* Lewis, Patrick J.
Cooch, Evan G., *see* Link, William A.
Copper: 811–821
Coragyps atratus, see Vulture
Coralberry: 240–249
Cordylanthus maritimus ssp. *palustris, see* North Coast bird's beak
Cordyline australis, see Cabbage tree
Cormorant: 866
Cormorant, double-crested: 194, 250, 662–673, 866
Corn: 154, 822–832, 1112–1117, 1141–1147
wildlife damage to corn in Pennsylvania: farmer and on-the-ground estimates, 678–682
Cornus stolonifera, see Dogwood, red-osier
Coronella austriaca, see Snake, smooth
Corticosterone: 11
Corvus brachyrhynchos, see Crow, American
Corvus corax, see Raven, common
Corvus splendens, see Crow, house
Corylus cornuta, see Hazel, beaked
Coryphantha coccineus, see Cactus, ball
Costa, Ralph, *see* Saenz, Daniel
Cotton: 140, 202–211
Cottonwood: 125–130, 1103
Coturnix coturnix, see Quail, Japanese
Coturnix coturnix japonica, see Quail, Coturnix
Cougar, *see* Lion, mountain
Coulson, Graeme, *see* Nave, Christopher D.
———, *see* Poiani, Aldo
Courtois, Réhaume, *see* Girard, Irene
Covariates: 865–873
Cover: 1–18, 408–416, 491–499, 605–617, 985–992
roost characteristics of invasive mynas in Singapore, 1118–1127
Cover, canopy: 4, 395, 408–416, 433–444, 584–602, 611, 641–661, 730, 822–832, 914, 1011–1022, 1031–1039, 1096–1103
roost characteristics of invasive mynas in Singapore, 1118–1127
Cowan, David P., *see* Massei, Giovanna
Cowbird, brown-headed: 232–239, 250–258, 1125
Cowpea: 1112–1117
Coyote: 3, 101–102, 478–490, 511–521, 698–717, 729–736, 773, 941, 1218, 1235–1245, 1255–1266, 1283–1289
the effectiveness of selective removal of breeding coyotes in reducing sheep predation, 451–462
Coyotebush: 478–490
Craig, David P., *see* Roby, Daniel D.
Cram, Douglas S., Ronald E. Masters, Fred S. Guthery, David M. Engle, and Warren G. Montague. Northern bobwhite population and habitat response to pine–grassland restoration, 1031–1039
Crane, Canadian sandhill:
mitochondrial DNA variation among wintering mid-continent Gulf Coast sandhill cranes, 339–348
Crane, Cuban sandhill: 339
Crane, Florida sandhill: 339
natal dispersal in Florida sandhill cranes, 349–352
Crane, greater sandhill:
mitochondrial DNA variation among wintering mid-continent Gulf Coast sandhill cranes, 339–348

Crane, lesser sandhill:
mitochondrial DNA variation among wintering mid-continent Gulf Coast sandhill cranes, 339–348
Crane, Mississippi sandhill: 339
Crane, sandhill: 941, 1058
mitochondrial DNA variation among wintering mid-continent Gulf Coast sandhill cranes, 339–348
natal dispersal in Florida sandhill cranes, 349–352
Crane, Siberian: 342
Crane, whooping: 351–352, 919
Crayfish: 811–821
Creatinine: 1197–1207
Creeper, trumpet: 1171–1178
Cricket, Jerusalem: 1148–1153
Croatan National Forest: 1083–1095
Crop milk: 425–432
Crossbills, red: 429–432
Crotalus horridus, see Rattlesnake, canebrake
Croton spp., *see* Doveweed
Crow, American: 257, 678–682, 1112–1117
Crow, house: 1118–1127
characteristics of nocturnal roosts of house crows in Singapore, 1128–1133
Crowberry: 747–756
***Cryptoporus volvatus*:** 625–633
Cuckoo, yellow-billed: 417–424, 641–661
CWD, *see* Disease, chronic wasting
Cyanide, M-44 ejectors: 451–462
Cyanocitta cristata, see Jay, blue
Cypress: 605–617, 839–848
Cytisus scoparius, see Broom
Czech Republic: 522–527

D

Dactylis glomerata, see Grass, orchard
Dalbergia oliveri, see Tamalan
Dalton, Virginia M., *see* Mann, Sherry L.
Dama dama, see Deer, fallow
Dama mesopotamica, see Deer, Persian fallow
Damage, wildlife:
capsicum oleoresin as an elephant repellent: field trials in the communal lands of Zimbabwe, 674–677
wildlife damage to corn in Pennsylvania: farmer and on-the-ground estimates, 678–682
Danell, Kjell, *see* Ericsson, Göran
Daniels, Susan J., *see* Walters, Jeffrey R.
Darwin, Charles:
wildlife biology and natural history: time for a reunion, 933–946 — Invited Paper
Dasiphora floribunda, see Cinquefoil
Dearborn, Donald, *see* Burhans, Dirk E.
Debris, coarse woody: 604–617
Declaration of Independence: 955–968
Decodon verticillatus, see Loosestrife, swamp
Decoy: 665–673
Deer, black-tailed: 91, 517–520, 729–736, 1309
Deer, Columbian white-tailed:
survival of Columbian white-tailed deer in western Oregon, 1255–1266
Deer, fallow: 737
interspecific competition between white-tailed, fallow, red, and roe deer, 522–527
line transect estimates of ungulate populations in a Mediterranean forest, 48–58
long-lasting, single-dose immunocontraception of feral fallow deer in British Columbia, 1141–1147
Deer, Florida Key: 1255
cultural conflict and the endangered Florida Key deer, 947–968
Deer, mule: 56, 68–74, 83, 300–309, 533, 698, 724, 792, 805, 849–858, 1235–1245, 1314
chronic wasting disease of deer and elk: a review with recommendations for management, 551–563 — Invited Paper
evaluation of antemortem sampling to estimate chronic wasting disease prevalence in free-ranging mule deer, 564–573
predicting population trends of mule deer, 729–736
rainfall, El Niño, and dynamics of mule deer in the Sonoran Desert, California, 1283–1289
survival and cougar predation of translocated bighorn sheep in Arizona, 1267–1272
Deer, Persian fallow:
impact of repeated releases on space-use patterns of Persian fallow deer, 737–746
Deer, red: 56, 91, 99, 112, 758, 1301–1305
genetic variation of red deer populations under hunting exploitation in southwestern Spain, 1273–1282
interspecific competition between white-tailed, fallow, red, and roe deer, 522–527
Deer, roe: 92, 99
interspecific competition between white-tailed, fallow, red, and roe deer, 522–527
line transect estimates of ungulate populations in a Mediterranean forest, 48–58
Deer, trophy:
maximum sustained yield harvest versus trophy management, 528–535
Deer, white-tailed: 55, 60, 428–431, 737–746, 919, 1144–1147
assessing sexual segregation in deer, 536–544
assignment of individuals to populations: Bayesian methods and multi-locus genotypes, 321–329
chronic wasting disease of deer and elk: a review with recommendations for management, 551–563 — Invited Paper
development of microsatellite DNA markers for the automated genetic characterization of white-tailed deer populations, 67–74
generic variance expressions, precision, and sampling optimization for the sex-age-kill model of population reconstruction, 1308–1316
interspecific competition between white-tailed, fallow, red, and roe deer, 522–527
maximum sustained yield harvest versus trophy management, 528–535
migration behavior of white-tailed deer under varying

winter climate regimes in New Brunswick, 718–728
proximate factors limiting population growth of white-tailed deer in Nova Scotia, 511–521
responses of Florida panthers to recreational deer and hog hunting, 839–848
seasonal movements and habitat use of female white-tailed deer associated with an urban park, 123–130
wildlife damage to corn in Pennsylvania: farmer and on-the-ground estimates, 678–682
winter severity, survival, and cause-specific mortality of female white-tailed deer in north-central Minnesota, 698–717
Deeryard: 718–728
DelGiudice, Glenn D., Michael R. Riggs, Pierre Joly, and Wei Pan. Winter severity, survival, and cause-specific mortality of female white-tailed deer in north-central Minnesota, 698–717
Delta method: 886–887
DeMaso, Stephen J., *see* Lusk, Jeffrey J.
Demographics: 407–416, 463–469, 1194
modeling demographic processes in an endangered population of bighorn sheep, 796–810
sensitivity analyses of the life cycle of midcontinent mallards, 883–900
Dendroctonus frontalis, see Beetle, southern pine
Dendroctonus ponderosa, see Beetle, mountain pine
Dendroctonus pseudotsugae, see Beetle, Douglas-fir
Dendrocygna autumnalis, see Duck, black-bellied whistling
Dendrocygna bicolor, see Duck, fulvous whistling
Dendroica caerulescens, see Warbler, black-throated blue
Dendroica coronata, see Warbler, yellow-rumped
Dendroica discolor, see Warbler, prairie
Dendroica dominica, see Warbler, yellow-throated
Dendroica pensylvanica, see Warbler, chestnut-sided
Dendroica petechia, see Warbler, yellow
Dendroica pinus, see Warbler, pine
Dendroica virens, see Warbler, black-throated green
Dennis, Brian, *see* Peek, James M.
Density dependence: 181–193, 729–736
the northern Yellowstone elk: density dependence and climatic conditions, 106–122
survival of Columbian white-tailed deer in western Oregon, 1255–1266
Dental cementum: 31, 453, 500–510
DePerno, Christopher S., *see* Jenks, Jonathan A.
Dermochelys coriacea, see Turtle, leatherback
Desrochers, André, *see* Imbeau, Louis
Dettmers, Randy, David A. Buehler, and Kathleen E. Franzreb. Testing habitat–relationship models for forest birds of the southeastern United States, 417–424
Developing countries:
does human population growth increase wildlife harvesting? An economic assessment, 574–580
DeVos, James C., Jr., *see* Kamler, Jan F.
Devries, James H., *see* Hoekman, Steven T.
DeYoung, Randy W., *see* Anderson, Joel D.
Diadophis punctatus, see Snake, southern ringneck
Dicamptodon tenebrosus, see Salamander, Pacific giant
Dick, Brian L., *see* Noyes, James H.
Dickcissel: 1011–1022
Dickson, Brett G., and Paul Beier. Home-range and habitat selection by adult cougars in southern California, 1235–1245
Dicrostonyx sp., *see* Lemming
Didelphis virginiana, see Opossum
Diet: 516, 1118–1127
effects of colony relocation on diet and productivity of Caspian terns, 662–673
effects of male age and female nutritional condition on elk reproduction, 1301–1307
influence of daily grit consumption rate and diet on gizzard grit counts, 381–391
seasonal variations in foods and digestion of Mongolian gazelles in China, 40–47
Digestion:
seasonal variations in foods and digestion of Mongolian gazelles in China, 40–47
Dingo: 1138
Diospyros virginiana, see Persimmon
Dipper, American: 1023
Dipper, Eurasian:
influence of the mating system of the Eurasian dipper on sex-specific local survival rates, 1023–1030
Discaria toumatou, see Matagouri
Disease: 463–469, 683–697, 796–810, 901–911, 1267
bison and elk: brucellosis seroprevalence on a shared winter range, 1246–1254
characteristics of nocturnal roosts of house crows in Singapore, 1128–1133
chronic wasting disease of deer and elk: a review with recommendations for management, 551–563 — Invited Paper
evaluation of antemortem sampling to estimate chronic wasting disease prevalence in free-ranging mule deer, 564–573
foraging ecology and depredation management of great blue herons at Mississippi catfish farms, 194–201
parasite-mediated competition among red-legged partridges and other lowland gamebirds, 445–450
survival of Columbian white-tailed deer in western Oregon, 1255–1266
Disease, Aleutian: 1213
Disease, autoimmune: 60
Disease, blue tongue: 478–490, 749–756
Disease, chronic wasting:
chronic wasting disease of deer and elk: a review with recommendations for management, 551–563 — Invited Paper
evaluation of antemortem sampling to estimate chronic wasting disease prevalence in free-ranging mule deer, 564–573
Disease, Creutzfeldt-Jacob: 551–563
Disease, hydatid: 463–469
Disease, Johne's: 478–490
Disease, neurological:
chronic wasting disease of deer and elk: a review with recommendations for management, 551–563 — Invited Paper

evaluation of antemortem sampling to estimate chronic wasting disease prevalence in free-ranging mule deer, 564–573
Dispersal: 604–617
natal dispersal in Florida sandhill cranes, 349–352
Distemper: 1213
Distribution:
distribution and movements of female northern pintails radiotagged in San Joaquin Valley, 138–152
DNA: 67–74, 75–85, 321–329, 339–348, 683–697, 1208–1223
multiplex PCR identification of eastern and Allegheny woodrats in zones of contact, 86–90
DNA, fecal:
fecal DNA analysis and risk assessment of mountain lion predation of bighorn sheep, 75–85
DNA, microsatellite: 1217–1223
assignment of individuals to populations: Bayesian methods and multi-locus genotypes, 321–329
development of microsatellite DNA markers for the automated genetic characterization of white-tailed deer populations, 67–74
fecal DNA analysis and risk assessment of mountain lion predation of bighorn sheep, 75–85
genetic variation of red deer populations under hunting exploitation in southwestern Spain, 1273–1282
mitochondrial DNA variation among wintering midcontinent Gulf Coast sandhill cranes, 339–348
DNA, mitochondrial: 67–74
mitochondrial DNA variation among wintering midcontinent Gulf Coast sandhill cranes, 339–348
Doerr, Phillip D., *see* Walters, Jeffrey R.
Dog, domestic: 526, 744, 1224–1234, 1255–1266
Dog, New Guinea wild: 1138
Dogwood, red-osier: 698–717
Dolbeer, Richard A., *see* Blackwell, Bradley F.
Dolev, Amit, David Saltz, Shirli Bar-David, and Yoram Yom-Tov. Impact of repeated releases on space-use patterns of Persian fallow deer, 737–746
Dolichonyx oryzivorus, see Bobolink
Dorr, Brian, *see* Glahn, James F.
Dove, common ground: 641–661
Dove, mourning: 208, 372, 641–661, 940
survival models for harvest management of mourning dove populations, 1052–1063
mourning doves and salt: Is there an attraction?, 425–432
Dove, rock: 250–258, 428–431
Dove, white-winged:
effects of methyl parathion on white-winged dove productivity and reproductive behavior, 202–211
Doveweed: 9
Dragonfly: 811–821
Dreitz, Victoria J., *see* Wolfe, Lisa L.
Drift fence: 605–617
Drobney, Ronald D., *see* Coluccy, John M.
Drought: 106–122, 1023–1030
Drymarchon corais couperi, see Snake, eastern indigo
Dryocopus pileatus, see Woodpecker, pileated
Duck, American black:
band recovery and recapture rates of American black ducks and mallards, 153–161
Duck, black-bellied whistling: 250–258
Duck, fulvous whistling: 250–258
Duck, redhead: 170, 879–881
survival and philopatry of female redheads breeding in southwestern Manitoba, 162–169
Duck, ring-necked: 167
Duiker: 575
Dussault, Christian, *see* Girard, Irene

E

Eagle, bald: 35, 919, 1217
Eagle, golden: 98, 454–462, 937, 1283–1289
Ecological sink: 1004, 1020–1021
Ecology, foraging:
defining quality of red-cockaded woodpecker foraging habitat based on habitat use and fitness, 1064–1082
foraging ecology and use of drumming trees by three-toed woodpeckers, 222–231
seasonal variations in foods and digestion of Mongolian gazelles in China, 40–47
Economics:
cultural conflict and the endangered Florida Key deer, 947–968
does human population growth increase wildlife harvesting? An economic assessment, 574–580
Edge: 6, 925–932, 1011–1022
effect of habitat characteristics on the probability of parasitism and predation of Bell's vireo nests, 232–239
factors affecting predation at songbird nests in old fields, 240–249
microhabitat use by bobcats in southern Illinois, 822–832
multiscale habitat relationships of stream amphibians in the Klamath–Siskiyou region of California and Oregon, 581–602
nest predation in forested regions: landscape and edge effects, 634–640
proximate factors affecting male elk hunting mortality in northern Idaho, 491–499
sage-grouse nesting and brood habitat use in southern Canada, 433–444
Effect size: 263–271, 272–276
Egret, cattle: 945
El Niño: 478–490
rainfall, El Niño, and dynamics of mule deer in the Sonoran Desert, California, 1283–1289
Elaphe obsoleta, see Snake, black rat
Elephant:
capsicum oleoresin as an elephant repellent: field trials in the communal lands of Zimbabwe, 674–677
Elephant, Asian: 674
Elephas maximus, see Elephant, Asian
Elevation: 584–602
Elk: 60, 300–309, 310–320, 1036
bison and elk: brucellosis seroprevalence on a shared winter range, 1246–1254

chronic wasting disease of deer and elk: a review with recommendations for management, 551–563 — Invited Paper
dynamics of interacting elk populations within and adjacent to Rocky Mountain National Park, 757–775
evaluation of antemortem sampling to estimate chronic wasting disease prevalence in free-ranging mule deer, 564–573
generic variance expressions, precision, and sampling optimization for the sex-age-kill model of population reconstruction, 1308–1316
influences of herbivory and water on willow in elk winter range, 788–795
the inherent aggravation of aggregation: an example with elk aerial survey data, 776–787
the northern Yellowstone elk: density dependence and climatic conditions, 106–122
proximate factors affecting male elk hunting mortality in northern Idaho, 491–499
Elk, Rocky Mountain: 486–490
chronic wasting disease of deer and elk: a review with recommendations for management, 551–563 — Invited Paper
effects of male age and female nutritional condition on elk reproduction, 1301–1307
Elk, Roosevelt: 1301
Elk, Tule:
population dynamics of Tule elk at Point Reyes National Seashore, California, 478–490
Elk, Yellowstone: 734
the northern Yellowstone elk: density dependence and climatic conditions, 106–122
Elliptio complanata, see Mussel, eastern elliptio
Embiotocidae, *see* Perch, surf
Emery, Robert B., *see* Arnold, Todd W.
Emetine: 1134
Emigration: 119, 605–617, 1023–1030, 1246–1254
Empetrum nigrum, see Crowberry
Empidonax virescens, see Flycatcher, Acadian
Encephalomalacia: 478–490
Endangered Species Act: 361–371, 947–968
wildlife biology and natural history: time for a reunion, 933–946 — Invited Paper
Engle, David M., *see* Cram, Douglas S.
Engraulidae, *see* Anchovies
Enhydra lutris, see Otter, sea
Enteritis: 478–490
Enterocolitis: 478–490
Environmental Protection Agency: 945
***Epomophorus gambianus*:** 1162
Eptesicus fuscus, see Bat, big brown
Equus asinus, see Burro, feral
Equus hemionus, see Ass, Asiatic wild
Eremophila alpestris, see Lark, horned
Erethizon dorsatum, see Porcupine
Eretmochelys imbricata, see Turtle, hawksbill
***Erica arborea*:** 49–58
Ericsson, Göran, John P. Ball, and Kjell Danell. Body mass of moose calves along an altitudinal gradient, 91–97
Ernest, Holly B., Esther S. Rubin, and Walter M. Boyce. Fecal DNA analysis and risk assessment of mountain lion predation of bighorn sheep, 75–85
Error, Type I: 273, 513
Error, Type II: 335, 584
Error, Type III: 267, 530, 1033
Error, Type IV: 268
***Erythrina variegata*:** 1154–1163
Estimator, iterative Nelson: 698–717
Estes, James A., *see* Gelatt, Thomas S.
Ethinyloestradiol: 1134
Ethnography:
cultural conflict and the endangered Florida Key deer, 947–968
Etter, Dwayne R., Karmen M. Hollis, Timothy R. Van Deelen, Daniel R. Ludwig, James E. Chelsvig, Chris L. Anchor, and Richard E. Warner. Survival and movements of white-tailed deer in suburban Chicago, Illinois, 500–510
Eucalyptus nitens, see Peppermint, shining
Eudyptula minor, see Penguin, little
Eugenia grandis, see Apple, tropical
Eugenia polyantha, see Salam
Eulachon: 1211
Eumatopias jubatus, see Sea lion, Steller
***Eumeces fasciatus*:** 605–617
***Eumeces inexpectatus*:** 605–617
***Eumeces laticeps*:** 605–617
Eumeces spp., *see* Skink
Eumops perotis, see Bat, mastiff
Europe: 330–338
Experiment:
the importance of replication in wildlife research, 919–932 — Invited Paper
Extinction: 81–85, 796–810, 919

F

Faaborg, John, *see* Burhans, Dirk E.
Fagus grandifolia, see Beech
Falco mexicanus, see Falcon, prairie
Falco peregrinus, see Falcon, peregrine
Falco sparverius paulus, see Kestrel, southeastern American
Falcon, peregrine: 807, 935–944
Falcon, prairie: 937
***Farancia abacura*:** 605–617
Farancia erytogramma, see Snake, rainbow
Fargesia robusta, see Bamboo
Fargesia spathacea, see Bamboo
Fat, femur marrow: 511–521, 698–717, 1208–1223
Fat, kidney: 1141–1147, 1255–1266, 1301–1307
Fat, subcutaneous: 411–416
Feces: 42–58, 252, 383, 389, 551–563, 792, 1118–1127, 1128–1133
Fecundity: 747–756
Federal Insecticide, Fungicide, and Rodenticide Act: 389
Felis catus, see Cat, domestic
Felis rufus, see Bobcat
Fence: 361–371, 674–677, 1273–1282

Fentrothion: 203
Fernández, J. L., *see* Martínez, J. G.
Ferrari, Matthew J., and Robert A. Garrott. Bison and elk: brucellosis seroprevalence on a shared winter range, 1246–1254
Ferret, black-footed: 919
Ferret, domestic: 555–563
Fertility control:
fertility control of eastern grey kangaroos: Do levonorgestrel implants affect behavior?, 59–66
fertility control in the eastern grey kangaroo using levonorgestrel implants, 470–477
Fescue: 822–832
Fescue, Idaho: 107–122, 1301–1307
Fescue spp., *see* Fescue
Festuca idahoensis, see Fescue, Idaho
Fetterbush: 605–617
Fever, Rocky Mountain spotted: 463–469
Ficedula albicollis, see Flycatcher, collared
Filip, Gregory M., *see* Brandeis, Thomas J.
Finch, zebra: 209
Finches, Darwin's: 1283
Finland: 91–97, 1164–1170
Fir, balsam: 223–231, 698–717, 718–728, 1290–1300
Fir, Douglas-: 107–122, 393–406, 491–499, 582, 776–787, 1141–1147, 1246–1254
cavity-nester habitat development in artificially made Douglas-fir snags, 625–633
Fir, grand: 393–406, 491–499, 1141–1147, 1301–1307
Fir, Pacific silver: 392–406
Fir, subalpine: 1246–1254
Fir, white: 246–249, 729–736
Fire: 106–122, 241, 442, 491–499, 611, 641–661, 730, 1031–1039, 1064–1082, 1083–1095, 1174–1178
the effect of supplemental prey and prescribed fire on success of artificial nests, 1112–1117
Firearms: 655–673
Fish, mosquito: 811–821
Fisher: 698–717
Fleskes, Joseph P., Robert L. Jarvis, and David S. Gilmer. Distribution and movements of female northern pintails radiotagged in San Joaquin Valley, California, 138–152
———, Robert L. Jarvis, and David S. Gilmer. September–March survival of female northern pintails radiotagged in San Joaquin Valley, California, 901–911
Fletcher, Robert J., Jr., and Rolf R. Koford. Habitat and landscape associations of breeding birds in native and restored grasslands, 1011–1022
Flicker, northern: 641–661, 1091
Flood: 1023–1030, 1102
Florida: 2, 213, 349–352, 641–661, 839–848, 853–857, 947–968, 982, 1076, 1084, 1235
Flounder: 662–673
Flycatcher, Acadian: 417–424
Flycatcher, collared: 1028
Flycatcher, great crested: 641–661
Flying fox:
spatial and temporal movement patterns of the flying fox, *Pteropus tonganus*, in American Samoa, 1154–1163
Flyway, Central: 181–193
Flyway, Mississippi: 181–193
Flyway, Pacific: 149, 901–911
Focardi, Stefano, Roberto Isotti, and Aleandro Tinelli. Line transect estimates of ungulate populations in a Mediterranean forest, 48–58
Folk, Martin J., *see* Nesbitt, Stephen A.
***Fomitopsis cajanderi*:** 625–633
***Fomitopsis pinicola*:** 625–633
Food supplementation: 292–299
the effect of supplemental prey and prescribed fire on success of artificial nests, 1112–1117
Foraging:
activity patterns and time budgets of the declining sea otter population at Amchitka Island, Alaska, 29–39
Forbes, Graham J., *see* Sabine, Dwayne L.
Forest management: 581, 1031–1039
breeding bird response to midstory hardwood reduction in Florida sandhill longleaf pine forests, 641–661
nest predation in forested regions: landscape and edge effects, 634–640
response of isolated wetland herpetofauna to upland forest management, 603–617
Forest, old-growth: 222–231, 581–602, 1073–1076, 1090
Fouquieria splendens, see Ocotillo
Fourth Amendment: 947–968
Fox, arctic: 190
Fox, flying:
spatial and temporal movement patterns of the flying fox, *Pteropus tonganus*, in American Samoa, 1154–1163
Fox, gray: 1235–1245, 1255–1266
Fox, red: 99, 178, 361–371, 526, 684, 698–717, 1255–1266
predator activity related to landscape features in northern Iowa, 1224–1234
Fragmentation: 67, 1224–1234
cultural conflict and the endangered Florida Key deer, 947–968
habitat and landscape associations of breeding birds in native and restored grasslands, 1011–1022
genetic variation of red deer populations under hunting exploitation in southwestern Spain, 1273–1282
long-term response of northern pintails to changes in wetlands and agriculture in the Canadian Prairie Pothole Region, 993–1010
nest predation in forested regions: landscape and edge effects, 634–640
processes regulating the population dynamics of red-cockaded woodpecker cavities, 1083–1095
Fraker, Mark A., Robert G. Brown, Geoffrey E. Gaunt, Jason A. Kerr, and Bill Pohajdak. Long-lasting, single-dose immunocontraception of feral fallow deer in British Columbia, 1141–1147
France: 1023–1030
Frangipani, great: 1118–1127
Franzreb, Kathleen E., *see* Dettmers, Randy
Fraxinus americana, see Ash, white
Fraxinus spp., *see* Ash

Freedman's Paradox: 912–918
French, Jeffrey O., *see* Glenn, Travis C.
Frequency analysis:
of *BUGS* and birds: Markov chain Monte Carlo for hierarchical modeling in wildlife research, 277–291
Freshwater, D. Wilson, *see* Ray, Daniel K.
Frog, bronze:
response of isolated wetland herpetofauna to upland forest management, 603–617
Frog, foothill yellow-legged: 587–602
Frog, pickerel:
response of isolated wetland herpetofauna to upland forest management, 603–617
Frog, pine woods tree: 611
Frog, southern cricket:
response of isolated wetland herpetofauna to upland forest management, 603–617
Frog, southern leopard:
response of isolated wetland herpetofauna to upland forest management, 603–617
Frog, tailed:
multiscale habitat relationships of stream amphibians in the Klamath–Siskiyou region of California and Oregon, 581–602
Fuller, Robin M., *see* Rushton, Stephen P.
Fungus: 392–401, 625–633, 1090–1095, 1118–1127
Fungus, heart-rot: 392–401, 625–633
Fungus, red heart: 625–633

G

Gadwall: 879–881
survival of gadwall and mallard ducklings in south-central Saskatchewan, 170–180
Gaines, Karen F., Christopher R. Romanek, C. Shane Boring, Christine G. Lord, Michael Gochfeld, and Joanna Burger. Using raccoons as an indicator species for metal accumulation across trophic levels: a stable isotope approach, 811–821
Gallagher, Rachel L., *see* Anderson, Joel D.
Gambusia holbrooki, see Fish, mosquito
Gamebirds: 445–450
Gao, Zhongxin, *see* Jiang, Zhaowen
Garrott, Robert A., *see* Ferrari, Matthew J.
Garton, Edward O., *see* Svancara, Leona K.
Gas chromatograph: 945
Gasterosteidae, *see* Stickleback
Gastrophryne carolinensis, see Toad, eastern narrowmouth
Gaunt, Geoffrey E., *see* Fraker, Mark A.
Gazelle, Mongolian:
seasonal variations in foods and digestion of Mongolian gazelles in China, 40–47
Gee, Kenneth L., *see* Anderson, Joel D.
Gelatt, Thomas S., Donald B. Siniff, and James A. Estes. Activity patterns and time budgets of the declining sea otter population at Amchitka Island, Alaska, 29–39
Gendron, Michel, and Robert G. Clark. Survival of gadwall and mallard ducklings in southcentral Saskatchewan, 170–180
Genes: 321–329
development of microsatellite DNA markers for the automated genetic characterization of white-tailed deer populations, 67–74
genetic variation of red deer populations under hunting exploitation in southwestern Spain, 1273–1282
mitochondrial DNA variation among wintering mid-continent Gulf Coast sandhill cranes, 339–348
Genetic variation:
genetic variation of red deer populations under hunting exploitation in southwestern Spain, 1273–1282
Genotype: 75–85
assignment of individuals to populations: Bayesian methods and multi-locus genotypes, 321–329
Geographic Information System: 100–105, 234–239, 454–462, 478–490, 491–499, 634–640, 683–697, 729–736, 776–787, 788–795, 822–832, 993–1010, 1011–1022, 1031–1039, 1148–1153, 1171–1178, 1224–1234, 1235–1245, 1246–1254
giant panda movements in Foping Nature Reserve, China, 1179–1188
George, Ronnie R., *see* Lusk, Jeffrey J.
Georgia: 86–90, 417–424, 500–510, 536–544, 1078, 1112–1117
Geospiza spp., *see* Finches, Darwin's
Geothlypis trichas, see Common yellowthroat
Germany: 738, 1028
Gerstmann-Sträussler-Shenker syndrome: 554–563
Gilmer, David S., *see* Fleskes, Joseph P.
Girard, Irene, Jean-Pierre Ouellet, Réhaume Courtois, Christian Dussault, and Laurier Breton. Effects of sampling effort based on GPS telemetry on home-range size estimations, 1290–1300
GIS, *see* Geographic Information System
Gizzard:
influence of daily grit consumption rate and diet on gizzard grit counts, 381–391
Glading, Ben:
wildlife biology and natural history: time for a reunion, 933–946 — Invited Paper
Glahn, James F., Brian Dorr, J. Brent Harrel, and Lester Khoo. Foraging ecology and depredation management of great blue herons at Mississippi catfish farms, 194–201
Glenn, Travis C., Jonathan E. Thompson, Bart M. Ballard, Jay A. Roberson, and Jeffrey O. French. Mitochondrial DNA variation among wintering mid-continent Gulf Coast sandhill cranes, 339–348
Global Positioning System: 433–444, 494, 678–682, 901–911, 969–975, 1171–1178, 1208–1223
accuracy of radiotelemetry to estimate wolf activity and locations, 859–864
effects of sampling effort based on GPS telemetry on home-range size estimations, 1290–1300
Globulin: 1197–1207
Glucose: 1197–1207
Glycine max, see Soybean
Gnatcatcher, blue-gray: 641–661
Gnathotrichus retusus, see Beetle, ambrosia

Goat, mountain: 555–563
Gobris, Nancy M., *see* Provencher, Louis
Gochfeld, Michael, *see* Gaines, Karen F.
Godwin, K. David, *see* Bond, Bobby T.
Gogan, Peter J. P., *see* Taper, Mark L.
Goldenrod: 1011–1022
Goldfinch: 942
Goldfinch, American: 942, 1011–1022
Gonadotrophin: 202–211
Gonzales, Roberta A., *see* Anderson, Joel D.
Goose, Aleutian Canada: 919
Goose, barnacle: 190
Goose, Canada: 181
consequences of neckband and legband loss from giant Canada geese, 353–360
lasers as nonlethal avian repellents, 250–258
Goose, dusky Canada: 358–360
Goose, emperor: 190
Goose, lesser snow: 356–360
arctic climate, spring nutrition, and recruitment in mid-continent lesser snow geese, 181–193
Goose, Ross's: 181, 190
Goose, white-fronted: 356–360
Gopherus agassizii, see Tortoise, desert
Gordon, Doria R., *see* Provencher, Louis
Gorse: 131–137, 1141–1147
Goshawk, northern: 935
Gove, Nancy E., John R. Skalski, Peter Zager, and Richard L. Townsend. Statistical models for population reconstruction using age-at-harvest data, 310–320
GPS, *see* Global Positioning System
Graber, David A., *see* Coluccy, John M.
Grackle, common: 678–682, 1132
Grand Teton National Park: 794
Granfors, Diane A., *see* Austin, Jane E.
Grant, Gilbert S., *see* Banack, Sandra Anne
Grape, wild: 822–832
Grass, big bluestem: 1011–1022
Grass, blue grama: 433–444
Grass, bluebunch wheat: 107–122
Grass, cheat: 940
Grass, European beach: 662–673
Grass, Indian: 1011–1022
Grass, Johnson: 1171–1178
Grass, june: 433–444
Grass, little bluestem: 1011–1022
Grass, needle-and-thread: 433–444
Grass, orchard: 1011–1022
Grass, reed canary: 1011–1022
Grass, saw: 982
Grass, switch: 1011–1022
Grass, western wheat: 433–444
Grass, wheat: 463–469, 1301–1307
Grass, wire: 641–661, 1064–1082, 1083–1095, 1112–1117
Grasshopper: 3
Grassland: 232–239, 1011–1022
northern bobwhite population and habitat response to pine–grassland restoration, 1031–1039
Gratson, Michael, *see* Svancara, Leona K.
Grazing: 1–18, 46, 522–527, 938–946, 1040–1051, 1096–1103, 1141–1147, 1235–1245
influences of herbivory and water on willow in elk winter range, 788–795
Greasewood: 463–469, 1148–1153
Grebe, western: 945
Greenbriar: 605–617, 1171–1178
Greene, Correigh, *see* Howell, Judd A.
Grinnell, Joseph:
wildlife biology and natural history: time for a reunion, 933–946 — Invited Paper
Grit:
influence of daily grit consumption rate and diet on gizzard grit counts, 381–391
mourning doves and salt: Is there an attraction?, 425–432
Grosbeak, blue: 641–661
habitat selection by riparian songbirds breeding in southern Arizona, 1096–1103
Grosbeak, rose-breasted: 417–424
Grouse, black: 99
Grouse, desert sand: 14
Grouse, sage-: 83, 914, 938
sage-grouse nesting and brood habitat use in southern Canada, 433–444
Grund, Marrett D., Jay B. McAninch, and Ernie P. Wiggers. Seasonal movements and habitat use of female white-tailed deer associated with an urban park, 123–130
Grus americana, see Crane, whooping
Grus (*Bugeranus*) *leucogeranus, see* Crane, Siberian
Grus canadensis, see Crane, sandhill
Grus canadensis canadensis, see Crane, lesser sandhill
Grus canadensis nesiotes, see Crane, Cuban sandhill
Grus canadensis pratensis, see Crane, Florida sandhill
Grus canadensis pulla, see Crane, Mississippi sandhill
Grus canadensis rowani, see Crane, Canadian sandhill
Grus canadensis tabida, see Crane, greater sandhill
Guillemot, pigeon: 1208
Guiraca caerulea, see Grosbeak, blue
Gull: 176, 251–258, 361–371
Gull, glaucous-winged: 662–673
Gull, western: 662–673
Gulo gulo, see Wolverine
Gum, black: 605–617, 634–640
Gum, sweet: 605–617, 822–832
Gurnell, John, *see* Rushton, Stephen P.
Guthery, Fred S., *see* Cram, Douglas S.
———, *see* Hernández, Fidel
———, *see* Lusk, Jeffrey J.
Gutzwiller, Kevin J., Samuel K. Riffell, and Stanley H. Anderson. Repeated human intrusion and the potential for nest predation by gray jays, 372–380
Guynn, David C., Jr., *see* Russell, Kevin R.

H

Habitat:
cavity-nester habitat development in artificially made

Douglas-fir snags, 625–633
defining quality of red-cockaded woodpecker foraging habitat based on habitat use and fitness, 1064–1082
habitat and landscape associations of breeding birds in native and restored grasslands, 1011–1022
habitat use by cottontail rabbits across multiple spatial scales in Mississippi, 1171–1178
predator activity related to landscape features in northern Iowa, 1224–1234
a strategy for describing and monitoring bat habitat, 1148–1153
Habitat Conservation Plan: 947–968
Habitat fragmentation: 212
effect of habitat characteristics on the probability of parasitism and predation of Bell's vireo nests, 232–239
nest predation in forested regions: landscape and edge effects, 634–640
Habitat patch: 232–239, 925, 1067–1082
assessing sexual segregation in deer, 536–544
sage-grouse nesting and brood habitat use in southern Canada, 433–444
Habitat selection:
defining quality of red-cockaded woodpecker foraging habitat based on habitat use and fitness, 1064–1082
demographic effects of habitat selection by hermit thrushes wintering in a pine plantation landscape, 407–416
distribution and habitat selection of canyon wrens, Lower Salmon River, Idaho, 1104–1111
home-range and habitat selection by adult cougars in southern California, 1235–1245
habitat selection by riparian songbirds breeding in southern Arizona, 1096–1103
habitat use by cottontail rabbits across multiple spatial scales in Mississippi, 1171–1178
Hackberry, netleaf: 1096–1103
Haliaeetus leucocephalus, see Eagle, bald
Halichoerus grypus, see Seal, gray
Hamamelis virginiana, see Hazel, witch
Hanlin, Hugh G., *see* Russell, Kevin R.
Hanni, Krista D., *see* Lander, Michelle E.
Hardesty, Jeffrey L., *see* Provencher, Louis
Harding, Sergio R., and Jeffrey R. Walters. Processes regulating the population dynamics of red-cockaded woodpecker cavities, 1083–1095
Hardy-Weinberg equilibrium: 72, 322–329, 1273–1282
Hare: 99
Hare, arctic: 467
Hare, snowshoe: 518, 698–717
Harem social structure: 1154–1163
Harrel, J. Brent, *see* Glahn, James F.
Harvest, *see* Hunting
Harvest, maximum sustained yield:
maximum sustained yield harvest versus trophy management, 528–535
Harvey, James T., *see* Lander, Michelle E.
Hawk, broad-winged: 641–661
Hawk, red-shouldered: 641–661
Hawk, red-tailed: 641–651
Hayes, Stephen G., David J. Leptich, and Peter Zager. Proximate factors affecting male elk hunting mortality in northern Idaho, 491–499
Hayslette, Steven E., and Ralph E. Mirarchi. Mourning doves and salt: Is there an attraction?, 425–432
Hazel, beaked: 698–717
Hazel, witch: 634–640
Heat stress: 1–18
Heavy metals: 811–821, 908
Helianthus spp., *see* Sunflower
Helicopter: 5, 77, 107, 124, 300–309, 478–490, 491–499, 511–521, 718–728, 747–756, 757–775, 833–838
Helicoverpa zea, see Bollworm, cotton
Hellgren, Eric C., *see* Burkepile, Nathan A.
Helmitheros vermivorus, see Warbler, worm-eating
Hematology:
blood chemistry, hematology, and morphology of wild harbor seal pups in Alaska, 1197–1207
Hemlock, eastern: 418–424, 528–535, 718–728
Hemlock, western: 392–406, 491–499, 1141–1147
Herbicide: 641–661
Herbivory:
influences of herbivory and water on willow in elk winter range, 788–795
Herfindal, Ivar, *see* Odden, John
Herman, Steven G. Wildlife biology and natural history: time for a reunion, 933–946 — Invited Paper
Hermansen, Tore Andre, *see* Parker, Howard
Hernández, Fidel, Fred S. Guthery, and William P. Kuvlesky, Jr. The legacy of bobwhite research in south Texas, 1–18 — Invited Paper
Hernández, Lucina, *see* Laundré, John W.
***Hernandia nymphaeifolia*:** 1154–1163
Heron, great blue: 250–258
foraging ecology and depredation management of great blue herons at Mississippi catfish farms, 194–201
Herpestes ichneumon, see Mongoose, Egyptian
Herring, Pacific: 20, 662–673, 1211–1219
Hershey, Terry, *see* Peek, James M.
Heterakis gallinarum, see Nematode, caecal
***Heterodon platyrhinos*:** 605–617
Heterogeneity, environmental: 91–97, 287–291
Heterostipa comata, see Grass, needle-and-thread
Heterozygosity: 67–74, 1273–1282
Hewitt, David G., *see* Burkepile, Nathan A.
Hexagrammos decagrammus, see Kelp greenling
Hibernaculum:
a strategy for describing and monitoring bat habitat, 1148–1153
***Hibiscus tiliaceus*:** 1154–1163
Hickory: 528–535, 634–640, 822–832, 833–838, 1031–1039
Hippotragus sp., *see* Antelope
Hobbs, N. Thompson, *see* Wolfe, Lisa L.
Hoekman, Steven T., L. Scott Mills, David W. Howerter, James H. Devries, and I. J. Ball. Sensitivity analyses of the life cycle of midcontinent mallards, 883–900
Hog, feral: 859–864
responses of Florida panthers to recreational deer and hog hunting, 839–848

Holland, Sarah, *see* Poiani, Aldo
Hollis, Karmen M., *see* Etter, Dwayne R.
Holly: 605–617
Homarus americanus, see Lobster
Home range: 1–18, 98–105, 123–130, 230, 463–469, 500–510, 570–571, 718–728, 737–746, 822–832, 839–848, 859–864, 969–975, 1064–1082, 1224–1234, 1273–1282
effects of sampling effort based on GPS telemetry on home-range size estimations, 1290–1300
giant panda movements in Foping Nature Reserve, China, 1179–1188
home-range and habitat selection by adult cougars in southern California, 1235–1245
post-release survival of river otters: effects of exposure to crude oil and captivity, 1208–1223
spatial and temporal movement patterns of the flying fox, *Pteropus tonganus,* in American Samoa, 1154–1163
Honeycutt, Dierdre A., *see* Anderson, Joel D.
Honeycutt, Rodney L., *see* Anderson, Joel D.
Honeysuckle, Japanese: 822–832, 1171–1178
Horan, Richard D., *see* Bulte, Erwin H.
Howell, Judd A., George C. Brooks, Marcia Semenoff-Irving, and Correigh Greene. Population dynamics of Tule elk at Point Reyes National Seashore, California, 478–490
Howerter, David W., *see* Hoekman, Steven T.
Hudson, Peter J., *see* Tompkins, Daniel M.
Human impacts: 811–821, 839–848
cultural conflict and the endangered Florida Key deer, 947–968
does human population growth increase wildlife harvesting? An economic assessment, 574–580
Hunting: 55, 109–122, 129, 141–161, 181–193, 300–309, 425–432, 478–490, 724–728, 785, 859–864, 920, 985–992, 1040–1051, 1154–1163, 1267–1272, 1283–1289, 1301–1307
consequences of neckband and legband loss from giant Canada geese, 353–360
does human population growth increase wildlife harvesting? An economic assessment, 574–580
the effectiveness of selective removal of breeding coyotes in reducing sheep predation, 451–462
generic variance expressions, precision, and sampling optimization for the sex-age-kill model of population reconstruction, 1308–1316
genetic variation of red deer populations under hunting exploitation in southwestern Spain, 1273–1282
maximum sustained yield harvest versus trophy management, 528–535
moose mortality in eastern interior Alaska, 747–756
post-release survival of river otters: effects of exposure to crude oil and captivity, 1208–1223
proximate factors limiting population growth of white-tailed deer in Nova Scotia, 511–521
responses of Florida panthers to recreational deer and hog hunting, 839–848
September–March survival of female northern pintails radiotagged in San Joaquin Valley, California, 901–911
sex and age composition of spring-hunted Eurasian beaver in Norway, 1164–1170
statistical models for population reconstruction using age-at-harvest data, 310–320
survival models for harvest management of mourning dove populations, 1052–1063
survival of unexploited bobcats in southern Illinois, 833–838
winter severity, survival, and cause-specific mortality of female white-tailed deer in north-central Minnesota, 698–717
wildlife biology and natural history: time for a reunion, 933–946 — Invited Paper
Hunting estates:
genetic variation of red deer populations under hunting exploitation in southwestern Spain, 1273–1282
Hurricane: 1090, 1154–1163
Hydrology:
influences of herbivory and water on willow in elk winter range, 788–795
***Hyla chrysoscelis*:** 605–617
***Hyla cinerea*:** 605–617
Hyla femoralis, see Frog, pine woods tree
***Hyla squirella*:** 605–617
Hylocichla mustelina, see Thrush, wood
Hymenoclea salsola, see Bush, cheese
Hypothesis testing:
the role of hypothesis testing in wildlife science, 272–276
Hypothesis, additive hunting mortality: 289–291
Hypothesis, null: 927–932
the role of hypothesis testing in wildlife science, 272–276
on the past and future of null hypothesis significance testing, 263–271 — Invited paper
Hypothesis, usable-space-in-time: 1–18

I

Ibis, white-faced: 250–258
Ictalurus punctatus, see Catfish, channel
Icteria sp., *see* Chat, red-breasted
Icteria virens, see Chat, yellow-breasted
Icterus cucullatus, see Oriole, hooded
Icterus sp., *see* Oriole, orchard
Ictinia mississippiensis, see Kite, Mississippi
Idaho: 310–320, 459, 463–469, 724–728, 776–787, 849–858, 1104–1111
Idaho Panhandle National Forest: 491–499
Ifi: 1154–1163
Ilex spp., *see* Holly
Ilex vomitoria, see Yaupon
Illinois: 86–90, 500–510, 637, 822–832, 833–838, 1261
Imbeau, Louis, and André Desrochers. Foraging ecology and use of drumming trees by three-toed woodpeckers, 222–231
Immunocontraception: 123, 460
fertility control of eastern grey kangaroos: Do lev-

onorgestrel implants affect behavior?, 59–66
fertility control in the eastern grey kangaroo using levonorgestrel implants, 470–477
long-lasting, single-dose immunocontraception of feral fallow deer in British Columbia, 1141–1147
modeling impacts and costs of gray squirrel control regimes on the viability of red squirrel populations, 683–697
Immunohistochemistry: 556–563
evaluation of antemortem sampling to estimate chronic wasting disease prevalence in free-ranging mule deer, 564–573
Impala: 49
Inbreeding depression:
genetic variation of red deer populations under hunting exploitation in southwestern Spain, 1273–1282
Independence: 923–932
Index of abundance:
relative abundance of bobwhites in relation to weather and land use, 1040–1051
Indicated Breeding Pair criteria: 985–992
Inference: 924–932
using multiple treatment levels as a means of improving inference in wildlife research, 292–299
Information–Theoretic methods:
avoiding pitfalls when using information–theoretic methods, 912–918
Inoculation, fungal:
cavity-nester habitat development in artificially made Douglas-fir snags, 625–633
Inocarpus fagifer, see Ifi
Insecticide:
effects of methyl parathion on white-winged dove productivity and reproductive behavior, 202–211
Intestinal cestodiasis: 478–490
Iowa: 382–391, 985–992, 1011–1022, 1224–1234
Ips pini, see Beetle, pine engraver
Iran: 738
Ironwood: 698–717, 1283–1289
Iroquois National Wildlife Refuge: 976–984
Irrigation: 140, 202–211, 771
Island biogeography: 1011–1022, 1154–1163
Isotope:
using raccoons as an indicator species for metal accumulation across trophic levels: a stable isotope approach, 811–821
Isotti, Roberto, *see* Focardi, Stefano
Israel: 737–746
Italy: 48–58, 685
Ivy, poison: 822–832
Ixobrychus exilis, see Bittern, least

J

Jackrabbit, black-tailed:
long-distance movements of black-tailed jackrabbits, 463–469
Jackson, Dewaine H., *see* Ricca, Mark A.
Jaeger, Michael M., *see* Blejwas, Karen M.
Janis, Michael W., and Joseph D. Clark. Responses of Florida panthers to recreational deer and hog hunting, 839–848
Jarman-Bell principle: 40
Jarvis, Robert L., *see* Fleskes, Joseph P.
Jay, blue: 417–424, 641–661, 1112–1117
Jay, gray:
repeated human intrusion and the potential for nest predation by gray jays, 372–380
Jędrzejewski, Włodzimierz, *see* Theuerkauf, Jörn
Jenks, Jonathan A., Winston P. Smith, and Christopher S. DePerno. Maximum sustained yield harvest versus trophy management, 528–535
Jiang, Zhaowen, Seiki Takatsuki, Junsheng Li, Wen Wang, Zhongxin Gao, and Jianzhang Ma. Seasonal variations in foods and digestion of Mongolian gazelles in China, 40–47
Johnson, Bruce K., *see* Noyes, James H.
Johnson, Douglas H. The importance of replication in wildlife research, 919–932 — Invited Paper
———. The role of hypothesis testing in wildlife science, 272–276 — Invited Paper
Johnson, Eileen, *see* Lewis, Patrick J.
Johnson, Michael A., *see* Austin, Jane E.
Johnson, Therese L., *see* Lubow, Bruce C.
———, *see* Zeigenfuss, Linda C.
Johnston, Heather L., and John T. Ratti. Distribution and habitat selection of canyon wrens, Lower Salmon River, Idaho, 1104–1111
Joly, Pierre, *see* DelGiudice, Glenn D.
Jones, David D., L. Mike Conner, Robert J. Warren, and Glenn O. Ware. The effect of supplemental prey and prescribed fire on success of artificial nests, 1112–1117
Jones, Jeanne C., *see* Bond, Bobby T.
Joy, Philip J., *see* Bowyer, R. Terry
Juglans nigra, see Walnut, black
Junco hyemalis, see Junco, dark-eyed
Junco, dark-eyed: 373, 417–424
Juniper: 75–85
Juniper, Utah: 463–469
Juniper, western: 729–736
Juniperus californica, see Juniper
Juniperus occidentalis, see Juniper, western
Juniperus osteosperma, see Juniper, Utah
Juniperus virginiana, see Cedar, eastern red
Juniperus virginianus, see Cedar, eastern red

K

Kahn, Richard H., *see* Williams, Elizabeth S.
Kalmia latifolia, see Laurel, mountain
Kaminski, Richard M., *see* Brasher, Michael G.
Kamler, Jan F., Raymond M. Lee, James C. deVos, Jr., Warren B. Ballard, and Heather A. Whitlaw. Survival and cougar predation of translocated bighorn sheep in Arizona, 1267–1272
Kangaroo, eastern grey: 1288
fertility control of eastern grey kangaroos: Do lev-

onorgestrel implants affect behavior?, 59–66
fertility control in the eastern grey kangaroo using levonorgestrel implants, 470–477
Kejimkulik National Park: 511–521
Kelp greenling: 1211
Kentucky: 86–90, 159
Kenya: 578
Kerr, Jason A., *see* Fraker, Mark A.
Kéry, Marc. Inferring the absence of a species—a case study of snakes, 330–338
Kestrel, southeastern American:
breeding bird response to midstory hardwood reduction in Florida sandhill longleaf pine forests, 641–661
Khaya grandifolia, *see* Mahogany, African
Khoo, Lester, *see* Glahn, James F.
Kidney: 1141–1147
Kie, John G., *see* Bowyer, R. Terry
———, *see* Noyes, James H.
Kingbird, eastern: 641–661
Kinglet, ruby-crowned: 373
***Kinosternon baurii*:** 605–617
Kinosternon subrubrum, *see* Turtle, eastern mud
Kite, Mississippi: 641–661
Kittiwake: 277–291
Kleiber's Law: 40
Knowlton, Frederick F., *see* Smith, Graham W.
Koeleria macrantha, *see* Grass, june
Koford, Carl:
wildlife biology and natural history: time for a reunion, 933–946 — Invited Paper
Koford, Rolf R., *see* Fletcher, Robert J., Jr.
Kohn, Stanley C., *see* Austin, Jane E.
Kolowski, Joseph M., and Alan Woolf. Microhabitat use by bobcats in southern Illinois, 822–832
Krausman, Paul R., *see* Marshal, Jason P.
Kreeger, Terry J., *see* Williams, Elizabeth S.
Kruskal-Wallis test: 410–416
Kuehl, Aaron K., and William R. Clark. Predator activity related to landscape features in northern Iowa, 1224–1234
Kullback-Leibler Information:
avoiding pitfalls when using information–theoretic methods, 912–918
Kuru: 554–563
Kuvlesky, William P., Jr., *see* Hernández, Fidel
Kvam, Tor, *see* Odden, John

L

La Niña: 1283–1289
Laake, Jeffrey L., *see* Mack, Diane Evans
Labrador tea: 747–756
Lake Erie: 152–161
Lampetra spp., *see* Lamprey
Lamprey: 662–673
***Lampropeltis getulus*:** 605–617
***Lampropeltis triangulum*:** 605–617
Lance, Pacific sand: 662–673
Lance, sand: 1219
Land use: 574–580, 634–640
cultural conflict and the endangered Florida Key deer, 947–968
habitat and landscape associations of breeding birds in native and restored grasslands, 1011–1022
relative abundance of bobwhites in relation to weather and land use, 1040–1051
Lander, Michelle E., James T. Harvey, Krista D. Hanni, and Lance E. Morgan. Behavior, movements, and apparent survival of rehabilitated and free-ranging harbor seal pups, 19–28
Landscape scale:
multiscale habitat relationships of stream amphibians in the Klamath–Siskiyou region of California and Oregon, 581–602
predator activity related to landscape features in northern Iowa, 1224–1234
Landscape, use:
assessing sexual segregation in deer, 536–544
habitat and landscape associations of breeding birds in native and restored grasslands, 1011–1022
nest predation in forested regions: landscape and edge effects, 634–640
a strategy for describing and monitoring bat habitat, 1148–1153
Lanius excubitor, *see* Shrike, loggerhead
Larch, western: 393–406, 625–633
Larix laricina, *see* Tamarack
Larix occidentalis, *see* Larch, western
Lark, horned: 938
Larrea tridentata, *see* Bush, creosote
Larson, Michael A., Mark R. Ryan, and Robert K. Murphy. Population viability of piping plovers: effects of predator exclusion, 361–371
Larus glaucescens, *see* Gull, glaucous-winged
Larus occidentalis, *see* Gull, western
Larus spp., *see* Gull
Laser:
lasers as nonlethal avian repellents, 250–258
Laterallus jamaicensis, *see* Rail, black
Laundré, John W., and Lucina Hernández. Growth curve models and age estimation of young cougars in the northern Great Basin, 849–858
Laurel, mountain: 634–640
***Laurus nobilis*:** 737–746
Least square estimation: 300–309
Ledum decumbens, *see* Labrador tea
Lee, Raymond M., *see* Kamler, Jan F.
Lehmkuhl, Karin L., *see* Bowyer, R. Terry
Lemming: 190
Lemmus spp., *see* Lemming
Leopard: 101–102
Leopold, A. Starker:
wildlife biology and natural history: time for a reunion, 933–946 — Invited Paper
Leopold, Aldo:
wildlife biology and natural history: time for a reunion, 933–946 — Invited Paper
Leopold, Bruce D., *see* Bond, Bobby T.

Lepidochelys kempii, see Ridley, Kemp's
Lepomis macrochirus, see Bluegill
Leptich, David J., *see* Hayes, Stephen G.
Leptospermum scoparium, see Mānuka
Leptospermum sp., *see* Tea-tree
Lepus americanus, see Hare, snowshoe
Lepus arcticus, see Hare, arctic
Lepus californicus, see Jackrabbit, black-tailed
Lepus timidus, see Hare
Lespedeza spp.: 40–47
Levonorgestrel implants:
fertility control of eastern grey kangaroos: do levonorgestrel implants affect behavior?, 59–66
fertility control in the eastern grey kangaroo using levonorgestrel implants, 470–477
Lewis, Patrick J., Richard Strauss, Eileen Johnson, and Warren C. Conway. Absence of sexual dimorphism in molar morphology of muskrats, 1189–1196
Li, Junsheng, *see* Jiang, Zhaowen
Ligustrum sinense, see Privet, Chinese
Lind, Amy J., *see* Welsh, Hartwell H., Jr.
Line transects: 164, 300, 395, 433–444, 1011–1022, 1255–1266
assessing growth rates of European rabbit populations using spotlight transect counts, 131–137
distance sampling for Sonoran Desert tortoises, 969–975
line transect estimates of ungulate populations in a Mediterranean forest, 48–58
probability of detecting marbled murrelets at sea: effects of single versus paired observers, 865–873
scaup migration patterns in North Dakota relative to temperatures and water conditions, 874–882
Link, William A., Emmanuelle Cam, James D. Nichols, and Evan G. Cooch. Of *BUGS* and birds: Markov chain Monte Carlo for hierarchical modeling in wildlife research, 277–291
Linnell, John D., *see* Odden, John
Lion, African: 83
Lion, mountain: 101–102, 478–490, 773, 796–810, 1283–1289
fecal DNA analysis and risk assessment of mountain lion predation of bighorn sheep, 75–85
growth curve models and age estimation of young cougars in the northern Great Basin, 849–858
home-range and habitat selection by adult cougars in southern California, 1235–1245
responses of Florida panthers to recreational deer and hog hunting, 839–848
survival and cougar predation of translocated bighorn sheep in Arizona, 1267–1272
Liquidambar styraciflua, see Gum, sweet
Liriodendron tulipifera, see Poplar, tulip
Litter, leaf: 604–617, 641–661
Liu, Xuehua, Andrew K. Skidmore, Tiejun Wang, Yange Yong, and Herbert H. Prins. Giant panda movements in Foping Nature Reserve, China, 1179–1188
Liver: 811–821, 1209
Livestock: 1–18, 46, 67–74, 98–105, 442, 451–462, 1040–1051, 1096–1103, 1267–1272
Lobster: 316–320
Lock, Bevan A., *see* Patterson, Brent R.
Locust, black: 528–535
Lodge, beaver: 1164–1170
Lonicera japonica, see Honeysuckle, Japanese
Lontra canadensis, see Otter, river
Loosestrife, purple: 976–984
Loosestrife, swamp: 976–984
Lopez, Roel R., *see* Peterson, M. Nils
Lord, Christine G., *see* Gaines, Karen F.
Louisiana: 212, 407–416, 604, 906
Lovallo, Matthew J., *see* Tzilkowski, Walter M.
Loxia curvirostra, see Crossbills, red
Loxodonta africana, see Elephant
Lubow, Bruce C., Francis J. Singer, Therese L. Johnson, and David C. Bowden. Dynamics of interacting elk populations within and adjacent to Rocky Mountain National Park, 757–775
Ludwig, Daniel R., *see* Etter, Dwayne R.
Lumpsucker, smooth: 37
Lungworm: 25, 1257–1266
Lupine: 478–490
Lupinus arboreus, see Lupine
Lurz, Peter W. W., *see* Rushton, Stephen P.
Lusk, Jeffrey J., Fred S. Guthery, Ronnie R. George, Markus J. Peterson, and Stephen J. DeMaso. Relative abundance of bobwhites in relation to weather and land use, 1040–1051
Lymph nodes: 551–563, 565–573
Lynx lynx, see Lynx
Lynx: 515–516
lynx depredation on domestic sheep in Norway, 98–105
Lyon, Alicia J., *see* Massei, Giovanna
Lyonia lucida, see Fetterbush
Lyons, Donald E., *see* Roby, Daniel D.
Lythrum salicaria, see Loosestrife, purple

M

Ma, Jianzhang, *see* Jiang, Zhaowen
MacDonald, Bruce A., *see* Patterson, Brent R.
Mack, Diane Evans, Martin G. Raphael, and Jeffrey L. Laake. Probability of detecting marbled murrelets at sea: effects of single versus paired observers, 865–873
Macropus eugenii, see Wallaby, tammar
Macropus giganteus, see Kangaroo, eastern grey
Madrone: 1255–1266
Magnesium: 811–821
Magnolia: 408–416
Magnolia grandiflora, see Magnolia
Magnolia virginiana, see Sweet bay
Magpie, black-billed: 941
Mahogany, African: 1118–1127, 1128–1133
Mahogany, broad-leaved: 1118–1127, 1128–1133
Maidencane: 349–352
Maiz maiz, see Corn
Malheur National Wildlife Refuge: 937–946
Mallard: 879–881, 906–911, 919, 994, 1227–1234

evaluation of indicated breeding pair criteria to estimate mallard breeding populations, 985–992
band recovery and recapture rates of American black ducks and mallards, 153–161
lasers as nonlethal avian repellents, 250–258
sensitivity analyses of the life cycle of midcontinent mallards, 883–900
survival of gadwall and mallard ducklings in south-central Saskatchewan, 170–180
Mallotus villosus, see Capelin
Malus spp., *see* Apple
Mammoth: 579
Mammut spp., *see* Mastodon
Mammuthus spp., *see* Mammoth
Mangifera indica, see Mango
Mango: 1118–1127
Manitoba: 162–169, 176, 181–193, 228, 880, 883–900, 985–992, 993–1010
Mann, Sherry L., Robert J. Steidl, and Virginia M. Dalton. Effects of cave tours on breeding *Myotis velifer*, 618–624
Mānuka: 131–137
Manzanita: 729–736
Maple: 418–424
Maple, bigleaf: 1141–1147
Maple, mountain: 698–717
Maple, red: 528–535, 605–617, 634–640, 718–728
Maple, sugar: 634–640, 698–717
Mariscus jamaicensis, see Grass, saw
Markov chain Monte Carlo:
of *BUGS* and birds: Markov chain Monte Carlo for hierarchical modeling in wildlife research, 277–291
Mark–recapture: 289–291, 316–320, 361–371, 408–416, 451–462, 969–975
band recovery and recapture rates of American black ducks and mallards, 153–161
consequences of neckband and legband loss from giant Canada geese, 353–360
survival and philopatry of female redheads breeding in southwestern Manitoba, 162–169
Mark–recapture, Lincoln-Petersen:
distance sampling for Sonoran Desert tortoises, 969–975
Marmota monax, see Woodchuck
Marshal, Jason P., Paul R. Krausman, Vernon C. Bleich, Warren B. Ballard, and Jane S. McKeever. Rainfall, El Niño, and dynamics of mule deer in the Sonoran Desert, California, 1283–1289
Martes pennanti, see Fisher
Martínez, J. G., J. Carranza, J. L. Fernández and C. B. Sánchez-Prieto. Genetic variation of red deer populations under hunting exploitation in southwestern Spain, 1273–1282
Marzolin, Gilbert. Influence of the mating system of the Eurasian dipper on sex-specific local survival rates, 1023–1030
Mass, birth: 747–756
Mass, body: 40, 59, 154–161, 170–201, 407–416, 445–450, 533–534, 747–756, 849–858, 1189, 1197–1207
body mass of moose calves along an altitudinal gradient, 91–97
Massachusetts: 604
Massei, Giovanna, Alicia J. Lyon, and David P. Cowan. Conditioned taste aversion can reduce egg predation by rats, 1134–1140
Mast: 3, 528–535
Masters, Ronald E., *see* Cram, Douglas S.
***Masticophis flagellum*:** 605–617
Mastodon: 579
Matagouri: 131–137
Mayfield estimates: 886–887
McAninch, Jay B., *see* Grund, Marrett D.
McCullough, Dale R., *see* Blejwas, Karen M.
McDonough, Thomas J., *see* Bowyer, R. Terry
McKeever, Jane S., *see* Marshal, Jason P.
McMillan, Eben:
wildlife biology and natural history: time for a reunion, 933–946 — Invited Paper
McMillan, Ian:
wildlife biology and natural history: time for a reunion, 933–946 — Invited Paper
Meadowlark, eastern: 641–661
Medicago sativa, see Alfalfa
Mediterranean: 48–58, 137
Medula oblongata: 556–563
Megafauna: 579
Melanerpes carolinus, see Woodpecker, red-bellied
Melanerpes erythrocephalus, see Woodpecker, red-headed
Melanitta spp., *see* Scoter
Meleagris gallopavo, see Turkey, wild
Meles meles, see Badger
Mephitis mephitis, see Skunk, striped
Mercury: 811–821
Mesquite, honey: 2, 1283–1289
Mesquite, velvet: 1096–1103
Metapopulations: 330–338
habitat and landscape associations of breeding birds in native and restored grasslands, 1011–1022
Metareplication:
the importance of replication in wildlife research, 919–932 — Invited Paper
Methyl parathion:
effects of methyl parathion on white-winged dove productivity and reproductive behavior, 202–211
Mexico: 7–8, 140–152, 414, 904–911, 1054, 1096–1103, 1104–1111
Michigan: 321–329, 518–520, 528, 613, 713, 724–728, 1262
Microtus ochrogaster, see Vole, prairie
Migrants, Neotropical:
demographic effects of habitat selection by hermit thrushes wintering in a pine plantation landscape, 407–416
Migration: 77–85, 181–193, 321–329, 463–469, 500–510 604–617
migration behavior of white-tailed deer under varying winter climate regimes in New Brunswick, 718–728
scaup migration patterns in North Dakota relative to temperatures and water conditions, 874–882

Milkweed: 1011–1022
Miller, Karl V., *see* Bartos, Ludek
Miller, Michael W., *see* Williams, Elizabeth S.
———, *see* Wolfe, Lisa L.
Millet, brown top: 1112–1117
Millettia atropurpurea, see Millettia, purple
Millettia, purple: 1118–1127
Mills, L. Scott, *see* Hoekman, Steven T.
Millspaugh, Joshua J., *see* Skalski, John R.
Mimus polyglottos, see Mockingbird, northern
Minimum convex polygon: 100, 412–416, 500–510, 1064–1082, 1290–1300
Mink: 176, 555–563, 1208, 1224–1234
Minnesota: 123–130, 176, 361–371, 517–520, 610, 698–717, 835, 883–900, 985–992, 1261
Mirarchi, Ralph E., *see* Hayslette, Steven E.
Mirounga angustirostris, see Seal, elephant
Mirounga angustirostris, see Seal, northern elephant
Mississippi: 1171–1178
Mississippi Alluvial Valley: 159, 883–900
Missouri: 232–239, 240–249, 353–360
Mniotilta varia, see Warbler, black-and-white
Moa, Pål Fassland, *see* Odden, John
Mockingbird, northern: 641–661
Model:
avoiding pitfalls when using information–theoretic methods, 912–918
growth curve models and age estimation of young cougars in the northern Great Basin, 849–858
the importance of replication in wildlife research, 919–932 — Invited Paper
modeling impacts and costs of gray squirrel control regimes on the viability of red squirrel populations, 683–697
modeling demographic processes in an endangered population of bighorn sheep, 796–810
models for harvest management of mourning dove populations, 1052–1063
Model fitting: 300–309
Model, Anderson-Gill proportional hazard: 698–717
Model, before–after, control–impact: 922
Model, Cormack-Jolly-Seber: 165, 1023–1030
Model, Cox proportional hazards: 289–291
Model, generalized linear: 683–697
Model, Gompertz's growth: 107–122
Model, granule exposure:
influence of daily grit consumption rate and diet on gizzard grit counts, 381–391
Model, growth curve:
growth curve models and age estimation of young cougars in the northern Great Basin, 849–858
Model, habitat–relationship:
testing habitat–relationship models for forest birds of the southeastern United States, 417–424
Model, hierarchical:
of *BUGS* and birds: Markov chain Monte Carlo for hierarchical modeling in wildlife research, 277–291
Model, lump-sum: 216–221
Model, partitioning: 216–221
Model, population viability analysis:
giant panda movements in Foping Nature Reserve, China, 1179–1188
modeling demographic processes in an endangered population of bighorn sheep, 796–810
population viability of piping plovers: effects of predator exclusion, 361–371
Model, Ricker's growth: 110–122
Model, sex-age-kill:
generic variance expressions, precision, and sampling optimization for the sex-age-kill model of population reconstruction, 1308–1316
Model, simulation: 212–221
Model, statistical:
avoiding pitfalls when using information–theoretic methods, 912–918
the importance of replication in wildlife research, 919–932 — Invited Paper
statistical models for population reconstruction using age-at-harvest data, 310–320
Model, survival:
survival models for harvest management of mourning dove populations, 1052–1063
Modifiable areal unit problem:
the inherent aggravation of aggregation: an example with elk aerial survey data, 776–787
Modoc National Forest: 729
Mojave Desert: 969–975, 1283–1289
Molothrus ater, see Cowbird, brown-headed
Mongoose, Egyptian: 862
Monkey, squirrel: 555–563
Monosodium methanearsonate: 626
Montague, Warren G., *see* Cram, Douglas S.
Montana: 106–122, 138–152, 176, 361–371, 400, 551–563, 729–736, 883–900, 1270
Monte Carlo simulation: 75–85, 325–329, 511–521
of *BUGS* and birds: Markov chain Monte Carlo for hierarchical modeling in wildlife research, 277–291
Moose: 99, 555–563, 794, 1290–1300, 1306
assessing sexual segregation in deer, 536–544
body mass of moose calves along an altitudinal gradient, 91–97
moose mortality in eastern interior Alaska, 747–756
Morgan, Lance E., *see* Lander, Michelle E.
Morley, Craig G., *see* Caley, Peter A.
Morphology, molar:
absence of sexual dimorphism in molar morphology of muskrats, 1189–1196
Morphology:
blood chemistry, hematology, and morphology of wild harbor seal pups in Alaska, 1197–1207
Morrison, Shawn F., *see* Sabine, Dwayne L.
Mortality, compensatory:
survival models for harvest management of mourning dove populations, 1052–1063
Moss: 224
Moth, Douglas-fir tussock: 945
Mouflon: 555–563
Mouse, leaf-eared: 1287

Mouse, white-footed: 87
Muir, John: 947–968
Murphy, Robert K., *see* Larson, Michael A.
Murray, Dennis L., *see* Steury, Todd D.
Murrelet, marbled:
probability of detecting marbled murrelets at sea: effects of single versus paired observers, 865–873
Murres, common: 1208
Musa spp., *see* Banana
Muscle: 811–821
Muskox: 44
Muskrat:
absence of sexual dimorphism in molar morphology of muskrats, 1189–1196
Mussel, eastern elliptio: 811–821
Mustela nigripes, see Ferret, black-footed
Mustela putorius furo, see Ferret, domestic
Mustela vison, see Mink
Mycobacterium bovis, see Tuberculosis, bovine
Mycobacterium paratuberculosis, see Disease, Johne's
Myers, Anne Mary, *see* Roby, Daniel D.
Myiarchus crinitus, see Flycatcher, great crested
Myna, common: 1128–1133
roost characteristics of invasive mynas in Singapore, 1118–1127
Myna, white-vented: 1128–1133
roost characteristics of invasive mynas in Singapore, 1118–1127
Myocarditis: 478–490
Myotis velifer, see Cave myotis
Myrica cerifera, see Myrtle, common wax
Myrmica alaskensis, see Ant
Myrtle, common wax: 605–617
***Myrtus communis*:** 49–58

N

National Elk Refuge: 1246–1254
National Environmental Research Park: 811–821
Natrix natrix, see Snake, grass
Natural history:
wildlife biology and natural history: time for a reunion, 933–946 — Invited Paper
Nave, Chris D., *see* Poiani, Aldo
Nave, Christopher D., Graeme Coulson, Aldo Poiani, Geoffrey Shaw, and Marilyn B. Renfree. Fertility control in the eastern grey kangaroo using levonorgestrel implants, 470–477
Nebraska: 361–371, 551–563
***Neisosperma oppositifolia*:** 1154–1163
Nematode, caecal:
parasite-mediated competition among red-legged partridges and other lowland gamebirds, 445–450
Nematode, gastrointestinal: 445–450
Neotoma floridana haematoreia, see Woodrat
Neotoma magister, see Woodrat
***Nerodia erythrogaster*:** 605–617
Nerodia fasciata, see Snake, banded water
***Nerodia taxispilota*:** 605–617
Nesbitt, Stephen A., Stephen T. Schwikert, and Martin J. Folk. Natal dispersal in Florida sandhill cranes, 349–352
Nest, artificial: 247–249
the effect of supplemental prey and prescribed fire on success of artificial nests, 1112–1117
Net, mist: 394, 409, 976–984, 1154–1163
Net, rocket: 159, 512, 718–728
Netherlands: 190
Nevada: 140–152, 853–857, 904–911, 938, 1148–1153, 1270
New Jersey: 153
New Mexico: 82, 486, 551–563, 855–857
New York: 976–984
New Zealand: 131–137, 522, 744–745
Newt, eastern:
response of isolated wetland herpetofauna to upland forest management, 603–617
Newt, rough-skinned: 587–602
Newton, Michael, *see* Brandeis, Thomas J.
Neyman-Pearson System: 915
Nichols, James D., *see* Link, William A.
Nielsen, Clayton K., and Alan Woolf. Survival of unexploited bobcats in southern Illinois, 833–838
Nighthawk, common: 641–661
Night-vision scope: 618–624
Noose: 394
North American Waterfowl Management Plan: 138–152, 985–992, 993–1010
North American Wetland Conservation Act: 1224–1234
North Carolina: 213, 86–90, 1052–1063, 1064–1082, 1083–1095
North Coast bird's beak: 478–490
North Dakota: 176, 192, 361–371, 874–882, 883–900, 993–1010
Northwest Forest Plan: 392–406, 865–873
Norway: 91–97, 1028, 1164–1170
Notophthalmus viridescens, see Newt, eastern
Nova Scotia: 511–521
Noyes, James H., Bruce K. Johnson, Brian L. Dick, and John G. Kie. Effects of male age and female nutritional condition on elk reproduction, 1301–1307
Nuclear: 811–821
Nuthatch, brown-headed:
breeding bird response to midstory hardwood reduction in Florida sandhill longleaf pine forests, 641–661
Nyctinomops macrotis, see Bat, big free-tailed
Nyssa sylvatica, see Gum, black

O

Oak: 408–416, 418–424, 529, 1031–1039, 1064–1082, 1083–1095, 1096–1103, 1235–1245
Oak, black: 822–832, 833–838
Oak, bur: 125–130
Oak, chestnut: 634–640
Oak, common: 737–746
Oak, northern red: 418–424, 634–640
Oak, post: 605–617
Oak, red: 125–130

Oak, sand live: 641–661
Oak, southern red: 605–617, 626–633
Oak, turkey: 605–617, 641–661
Oak, white: 414–424, 634–640, 822–832, 833–838
Observer bias:
probability of detecting marbled murrelets at sea: effects of single versus paired observers, 865–873
Oceanodroma microsoma, see Petrel, least storm
Ocotillo: 1283–1289
Odden, John, John D. Linnell, Pål Fassland Moa, Ivar Herfindal, Tor Kvam, and Reidar Andersen. Lynx depredation on domestic sheep in Norway, 98–105
Odocoileus hemionus, see Deer, black-tailed
Odocoileus hemionus, see Deer, mule
Odocoileus virginianus, see Deer, white-tailed
Odocoileus virginianus clavium, see Deer, Florida Key
Odocoileus virginianus leucurus, see Deer, Columbian white-tailed
Odonata: 811–821
Ohio: 153–161, 251
Oil, crude:
post-release survival of river otters: effects of exposure to crude oil and captivity, 1208–1223
Oklahoma: 67–74, 213, 551–563, 835, 1031–1039, 1047
Oligoporus sericeomollis, see Fungus, heart-rot
Oncorhynchus gorbuscha, see Salmon, pink
Oncorhynchus kisutch, see Salmon, coho
Oncorhynchus mykiss, see Steelhead
Oncorhynchus mykiss, see Trout, rainbow
Oncorhynchus nerka, see Salmon, sockeye
Oncorhynchus spp., *see* Salmonids
Oncorhynchus tshawytscha, see Salmon, chinook
Ondatra zibethicus albus, see Muskrat
Ondatra zibethicus bernardi, see Muskrat
Ondatra zibethicus cinnamominus, see Muskrat
Ondatra zibethicus macrodon, see Muskrat
Ondatra zibethicus mergens, see Muskrat
Ondatra zibethicus obscurus, see Muskrat
Ondatra zibethicus osoyoosensis, see Muskrat
Ondatra zibethicus pallidus, see Muskrat
Ondatra zibethicus rivalicius, see Muskrat
Ondatra zibethicus spatulatus, see Muskrat
Ondatra zibethicus zibethicus, see Muskrat
Ondatra zibethicus, see Muskrat
Onion: 42
Ontario: 230
Ophisaurus attenuatus: 605–617
Ophisaurus ventralis: 605–617
Oporornis formosus, see Warbler, Kentucky
Opossum: 1112–1117, 1224–1234, 1235–1245
Opuntia spp., *see* Cactus, prickly pear
Orca: 1217
Orcinus orca, see Orca
Oreamnos americanus, see Goat, mountain
Oregon: 140–152, 392, 441, 581–602, 625–633, 729–736, 865–873, 904–911, 1255–1266, 1301–1307
Organophosphorus:
effects of methyl parathion on white-winged dove productivity and reproductive behavior, 202–211
Orgyia pseudotsugata, see Moth, Douglas-fir tussock
Oriole, hooded:
habitat selection by riparian songbirds breeding in southern Arizona, 1096–1103
Oriole, orchard: 641–661
Orthoptera, *see* Grasshopper
Oryctolagus cuniculus, see Rabbit
Oryx leucoryx, see Oryx, Arabian
Oryx, Arabian: 744–745
Oryzomys palustris natator, see Rat, rice
Osborn, Ferrel V. Capsicum oleoresin as an elephant repellent: field trials in the communal lands of Zimbabwe, 674–677
Osmeridae, *see* Anchovies
Osprey: 945
Ostrya virginiana, see Ironwood
Otis, David L., Survival models for harvest management of mourning dove populations, 1052–1063
Otostrongylus circumlitis, see Lungworm
Otter, river:
post-release survival of river otters: effects of exposure to crude oil and captivity, 1208–1223
Otter, sea: 1208
activity patterns and time budgets of the declining sea otter population at Amchitka Island, Alaska, 29–39
Otus asio, see Owl, eastern screech
Ouachita National Forest: 1031–1039
Ouellet, Jean-Pierre, *see* Girard, Irene
Ovenbird: 414, 417–424, 634–640
Ovibos moschatus, see Muskox
Ovis aries, see Sheep
Ovis canadensis, see Sheep, bighorn
Ovis canadensis canadensis, see Sheep, Rocky Mountain bighorn
Ovis canadensis mexicana, see Sheep, desert bighorn
Ovis musimon, see Mouflon
Owl, eastern screech: 641–661
Owl, great grey: 942
Owl, great horned: 641–661, 942
Owl, northern spotted: 392, 949
Oxygen, dissolved: 194–201
Pace, Richard M., III, *see* Coluccy, John M.
Palm, cabbage: 839–848
Palmer Modified Drought Index: 1040–1051
Palo verde: 1283–1289
Pan, Wei, *see* DelGiudice, Glenn D.

P

Pancreatic necrosis: 478–490
Panda, giant:
giant panda movements in Foping Nature Reserve, China, 1179–1188
Pandalus platyceros, see Prawns
Pandanus tectorius: 1154–1163
Pandion halieatus, see Osprey
Panicum hemitomon, see Maidencane
Panicum virgatum, see Grass, switch
Panther, Florida:

responses of Florida panthers to recreational deer and hog hunting, 839–848
Panthera pardus, see Leopard
Parapoxvirus: 683–697
Parasite: 1257–1266
parasite-mediated competition among red-legged partridges and other lowland gamebirds, 445–450
Parasitism:
effect of habitat characteristics on the probability of parasitism and predation of Bell's vireo nests, 232–239
Parish, David M. B., *see* Tompkins, Daniel M.
Parker, Howard, Frank Rosell, Tore Andre Hermansen, Gjermund Sørløkk, and Martin Stærk. Sex and age composition of spring-hunted Eurasian beaver in Norway, 1164–1170
Parsnip, wild: 1011–1022
Partridge, gray: 935
parasite-mediated competition among red-legged partridges and other lowland gamebirds, 445–450
Partridge, red-legged:
parasite-mediated competition among red-legged partridges and other lowland gamebirds, 445–450
Pascopyrum smithii, see Grass, western wheat
Passer domesticus, see Sparrow, house
Passerculus sandwichensis, see Sparrow, savannah
Passerina cyanea, see Bunting, indigo
Pastinaca sativa, see Parship, wild
Patterson, Brent R., Bruce A. MacDonald, Bevan A. Lock, Don G. Anderson, and Lawrence K. Benjamin. Proximate factors limiting population growth of white-tailed deer in Nova Scotia, 511–521
PCB: 945
Peach: 822–832
Peccary: 49
Peek, James M., Brian Dennis, and Terry Hershey. Predicting population trends of mule deer, 729–736
Peh, Kelvin S.-H., and Navjot S. Sodhi. Characteristics of nocturnal roosts of house crows in Singapore, 1128–1133
Pelecanus occidentalis, see Pelican, brown
Pelican, brown: 945
Pellet counts: 48, 300, 511–521
Peltophorum pterocarpum, see Yellow flame
Penguin, African: 1208
Penguin, little: 1209
Pennsylvania: 634–640, 1171–1178
Peppermint, shining: 60–66
Peppers: 674–677
Perch, surf: 662–673
Perdix perdix, see Partridge, gray
Perisoreus canadensis, see Jay, gray
Peromyscus leucopus, see Mouse, white-footed
Persimmon: 811–821
Pest management: 1118–1127
Pesticide: 933–946
effects of methyl parathion on white-winged dove productivity and reproductive behavior, 202–211
influence of daily grit consumption rate and diet on gizzard grit counts, 381–391
Peterson, M. Nils, Tarla Rai Peterson, Markus J. Peterson, Roel R. Lopez, and Nova J. Silvy. Cultural conflict and the endangered Florida Key deer, 947–968
Peterson, Markus J., *see* Lusk, Jeffrey J.
———, *see* Peterson, M. Nils
Peterson, Tarla Rai, *see* Peterson, M. Nils
Petrel, least storm: 945
Petroleum: 1208–1223
Phainopepla:
habitat selection by riparian songbirds breeding in southern Arizona, 1096–1103
Phalacrocorax auritus, see Cormorant, double-crested
Phalacrocorax spp., *see* Cormorant
Phalaris arundinacea, see Grass, reed canary
Phasianus colchicus, see Pheasant, ring-necked
Pheasant, ring-necked: 209, 429–431, 935
parasite-mediated competition among red-legged partridges and other lowland gamebirds, 445–450
predator activity related to landscape features in northern Iowa, 1224–1234
Phellinus hartigii, see Fungus, heart-rot
Phellinus pini, see Fungus, red heart
Phenology: 240–249
Pheucticus ludovicianus, see Grosbeak, rose-breasted
***Phillyrea latifolia*:** 49–58
Philopatry: 349–352, 500–510, 737–746, 767–775
survival and philopatry of female redheads breeding in southwestern Manitoba, 162–169
Philosophy:
wildlife biology and natural history: time for a reunion, 933–946 — Invited Paper
***Phlebiopsis gigantea*:** 625–633
Phlox hoodii, see Phlox, moss
Phlox, moss: 433–444
Phoca groenlandica, see Seal, harp
Phoca vitulina concolor, see Seal, Atlantic harbor
Phoca vitulina richardsi, see Seal, harbor
Phoca vitulina vitulina, see Seal, harbor
Phocoena phocoena, see Porpoise, harbor
Phosphorus: 1–18, 1197–1207
Phylloscopus trochilus, see Warbler, willow
Phyllotis darwini, see Mouse, leaf-eared
Phytoestrogens: 1–18
Pica hudsonia, see Magpie, black-billed
Picea albies, see Spruce, Norway
Picea engelmannii, see Spruce, Engelmann
Picea mariana, see Spruce, black
Picea rubens, see Spruce, red
Picea sitchensis, see Spruce, Sitka
Pickerelweed: 349–352
Picoides arcticus, see Woodpecker, black-backed
Picoides borealis, see Woodpecker, red-cockaded
Picoides pubescens, see Woodpecker, downy
Picoides tridactylus, see Woodpecker, three-toed
Picoides villosus, see Woodpecker, hairy
Pigeon, band-tailed: 429–431
Pilosocereus robinii, see Cactus, Key tree
Pine: 418–424, 1064–1082
Pine, Corsican: 683–697

Pine, jack: 223–231, 698–717, 718–728
Pine, loblolly: 407–416, 528–535, 603–617, 822–832, 1083–1095, 1112–1117
Pine, lodgepole: 107–122, 400, 683–697, 729–736, 776–787, 788–795, 1246–1254, 1301–1307
Pine, longleaf: 605–617, 1083–1095, 1112–1117
breeding bird response to midstory hardwood reduction in Florida sandhill longleaf pine forests, 641–661
defining quality of red-cockaded woodpecker foraging habitat based on habitat use and fitness, 1064–1082
Pine, piñyon: 75–85
Pine, pond: 605–617, 1064–1082, 1083–1095
Pine, ponderosa: 394–406, 626, 729–736, 788–795, 1301–1307
Pine, red: 698–717
Pine, sand: 641–661
Pine, Scotch: 92–97, 99–105, 686–697
Pine, shortleaf: 528–535, 822–832, 1064–1082
northern bobwhite population and habitat response to pine–grassland restoration, 1031–1039
Pine, slash: 839–848, 1112–1117
Pine, Virginia: 528–535
Pine, white: 418–424, 528–535, 698–717
Pintail, northern: 171, 176, 991
distribution and movements of female northern pintails radiotagged in San Joaquin Valley, California, 138–152
long-term response of northern pintails to changes in wetlands and agriculture in the Canadian Prairie Pothole Region, 993–1010
September–March survival of female northern pintails radiotagged in San Joaquin Valley, California, 901–911
Pinus banksiana, see Pine, jack
Pinus clausa, see Pine, sand
Pinus contorta, see Pine, lodgepole
Pinus echinata, see Pine, shortleaf
Pinus elliottii, see Pine, slash
Pinus monophylla, see Pine, pinyon
Pinus nigra, see Pine, Corsican
Pinus palustris, see Pine, longleaf
***Pinus pinea*:** 49–58
Pinus ponderosa, see Pine, ponderosa
***Pinus radiata*:** 131–137
Pinus resinosa, see Pine, red
Pinus serotina, see Pine, pond
Pinus spp., *see* Pine
Pinus strobus, see Pine, white
Pinus sylvestris, see Pine, Scotch
Pinus taeda, see Pine, loblolly
Pinus virginiana, see Pine, Virginia
Pipilo erythrophthalmus, see Towhee, eastern
Pipistrelle, western: 1151–1153
Pipistrellus hesperus, see Pipistrelle, western
Piranga olivacea, see Tanager, scarlet
Piranga rubra, see Tanager, summer
***Pisonia grandis*:** 1154–1163
***Pistacia lentiscus*:** 49–58
PIT, *see* Tag, Passive Integrated Transponder
PIT, *see* Tag, Permanent identification transponder
Plane tree: 737–746
Planorbidae: 811–821
Platanus occidentalis, see Sycamore, American
Platanus orientalis, see Plane tree
Platanus wrightii, see Sycamore, Arizona
Plegadis chihi, see Ibis, white-faced
Pleuronectidae, *see* Flounder
Pleurozium schreberi, see Moss
Plover, piping:
population viability of piping plovers: effects of predator exclusion, 361–371
Plover, snowy: 938
Pluchea sericea, see Arrowweed
Plumeria obtusifolia, see Frangipani, great
Pneumonia: 478–490, 1258–1266
Pochard, common: 178
Poecile carolinensis, see Chickadee, Carolina
Poephila guttata, see Finch, zebra
Pohajdak, Bill, *see* Fraker, Mark A.
Poiani, Aldo, Graeme Coulson, Dylan Salamon, Sarah Holland, and Chris D. Nave. Fertility control of eastern grey kangaroos: Do levonorgestrel implants affect behavior?, 59–66
———, *see* Nave, Christopher D.
Poison: 684, 904–911, 1134–1140
Poison, 1080: 451–462
Poison, sublethal: 202–211
Poisson distribution: 331
Poland: 859–864
Polioptila caerulea, see Gnatcatcher, blue-gray
Pollock, walleye: 1211
Polygyny: 1023–1030
Polymerase chain reaction: 68
genetic variation of red deer populations under hunting exploitation in southwestern Spain, 1273–1282
multiplex PCR identification of eastern and Allegheny woodrats in zones of contact, 86–90
Pontederia cordata, see Pickerelweed
Poplar, balsam: 698–717, 718–728, 747–756
Poplar, tulip: 418–424
Population density: 48–58
Population dynamics: 1–18, 106–122, 212–221, 287–291, 310–320, 729–736, 1134–1140
dynamics of interacting elk populations within and adjacent to Rocky Mountain National Park, 757–775
evaluation of indicated breeding pair criteria to estimate mallard breeding populations, 985–992
population dynamics of Tule elk at Point Reyes National Seashore, California, 478–490
processes regulating the population dynamics of red-cockaded woodpecker cavities, 1083–1095
sensitivity analyses of the life cycle of midcontinent mallards, 883–900
Population estimation:
assessing growth rates of European rabbit populations using spotlight transect counts, 131–137
Population viability analysis:
population viability analysis: population viability of

piping plovers: effects of predator exclusion, 361–371
Populus balsamifera, see Poplar, balsam
Populus deltoides, see Cottonwood
Populus grandidentata, see Aspen, largetooth
Populus tremula, see Aspen
Populus tremuloides, see Aspen, trembling
Porcine zona pellucida: 59–66, 1141–1147
Porcupine: 1270
Poria asiatica, see Fungus, heart-rot
Porpoise, harbor: 871
Powell, Brian F., and Robert J. Steidl. Habitat selection by riparian songbirds breeding in southern Arizona, 1096–1103
Prairie Habitat Joint Venture Assessment Program: 883–900
Prairie Pothole Region: 883–900, 1011–1022, 1115, 1224–1234
long-term response of northern pintails to changes in wetlands and agriculture in the Canadian Prairie Pothole Region, 993–1010
Prawns: 1211
Predation: 75–85, 232–239, 466–469, 511–521, 796–810, 1048
conditioned taste aversion can reduce egg predation by rats, 1134–1140
the effect of supplemental prey and prescribed fire on success of artificial nests, 1112–1117
the effectiveness of selective removal of breeding coyotes in reducing sheep predation, 451–462
factors affecting predation at songbird nests in old fields, 240–249
foraging ecology and depredation management of great blue herons at Mississippi catfish farms, 194–201
interspecific competition between white-tailed, fallow, red, and roe deer, 522–527
lynx depredation on domestic sheep in Norway, 98–105
moose mortality in eastern interior Alaska, 747–756
nest predation in forested regions: landscape and edge effects, 634–640
post-release survival of river otters: effects of exposure to crude oil and captivity, 1208–1223
predator activity related to landscape features in northern Iowa, 1224–1234
repeated human intrusion and the potential for nest predation by gray jays, 372–380
responses of Florida panthers to recreational deer and hog hunting, 839–848
survival and cougar predation of translocated bighorn sheep in Arizona, 1267–1272
winter severity, survival, and cause-specific mortality of female white-tailed deer in north-central Minnesota, 698–717
Predator exclusion: 361–371
Presribed burn, *see* Fire
Presumptive selenium deficiency: 478–490
Prins, Herbert H., *see* Liu, Xuehua
Prion:
chronic wasting disease of deer and elk: a review with recommendations for management, 551–563 — Invited Paper
Private property rights:
cultural conflict and the endangered Florida Key deer, 947–968
Privet, Chinese: 408–416
Procapra gutturosa, see Gazelle, Mongolian
Procyon lotor, see Raccoon
Prosopis glandulosa, see Mesquite, honey
Prosopis velutina, see Mesquite, velvet
Protein electrophoresis: 67–74, 340–352
Protein: 9–11, 184–193, 1197–1207
Protein, crude: 40–47
Provencher, Louis, Nancy M. Gobris, Leonard A. Brennan, Doria R. Gordon, and Jeffrey L. Hardesty. Breeding bird response to midstory hardwood reduction in Florida sandhill longleaf pine forests, 641–661
Prunus persica, see Peach
Prunus serotina, see Cherry, black
***Pseudacris crucifer*:** 605–617
Pseudoreplication:
the importance of replication in wildlife research, 919–932 — Invited Paper
Pseudoroegneria spicata, see Grass, bluebunch wheat
Pseudotriton montanus, see Salamander, mud
Pseudotsuga menziesii, see Fir, Douglas-
Pterocarpus indicus, see Angsana
Pterocles namaqua, see Grouse, desert sand
***Pteropus giganteus*:** 1161
***Pteropus poliocephalus*:** 1154–1163
Pteropus samoensis, see Flying fox
***Pteropus scapulatus*:** 1154–1163
Pteropus tonganus, see Flying fox
Ptilochronology:
demographic effects of habitat selection by hermit thrushes wintering in a pine plantation landscape, 407–416
Ptychoramphus aleutica, see Auklet, Cassin's
Public participation:
cultural conflict and the endangered Florida Key deer, 947–968
Puerto Rico: 414
Puma concolor, see Lion, mountain
Puma concolor coryi, see Panther, Florida
Purshia tridentata, see Bitterbrush, antelope
***P*-value:** 263–271, 272–276
PZP, *see* Porcine zona pellucida

Q

QDM, *see* Quality Deer Management
Quail, California: 8–9, 936
Quail, Coturnix: 209
Quail, Gambel's: 1047–1051
Quail, Japanese: 1112–1117, 1134–1140
Quail, scaled: 6
Quality Deer Management:
maximum sustained yield harvest versus trophy management, 528–535
Quasi-extinction risk curve:
modeling demographic processes in an endangered

population of bighorn sheep, 796–810
Québec: 222–231, 519–520
Quercus alba, see Oak, white
Quercus borealis, see Oak, northern red
Quercus calliprinos, see Oak, common
***Quercus cerris*:** 49–58
Quercus falcata, see Oak, southern red
***Quercus frainetto*:** 49–58
Quercus geminata, see Oak, sand live
***Quercus ilex*:** 49–58, 1273–1282
Quercus laevis, see Oak, turkey
Quercus macrocarpa, see Oak, bur
Quercus prinus, see Oak, chestnut
***Quercus pubescens*:** 49–58
Quercus rubra, see Oak, red
Quercus spp., *see* Oak
Quercus stellata, see Oak, post
***Quercus suber*:** 49–58, 1273–1282
Quercus velutina, see Oak, black
Questionnaire: 678–682
Quiscalus quiscula, see Grackle, common

R

Rabbit: 1145
Rabbit, cottontail: 822–832
habitat use by cottontail rabbits across multiple spatial scales in Mississippi, 1171–1178
Rabbit, European:
assessing growth rates of European rabbit populations using spotlight transect counts, 131–137
Rabbit, Lower Key marsh: 947–968
Rabbit, pygmy: 939
Rabies: 1213
Raccoon: 678–682, 941, 1112–1117, 1138, 1235–1245
predator activity related to landscape features in northern Iowa, 1224–1234
using raccoons as an indicator species for metal accumulation across trophic levels: a stable isotope approach, 811–821
Radiotelemetry: 19–28, 48, 77–85, 98–105, 123–130, 138–152, 170–180, 300–309, 310–320, 349–352, 392–406, 433–444, 451–462, 463–469, 478–490, 491–499, 500–510, 511–521, 698–717, 718–728, 737–746, 747–756, 757–775, 822–832, 833–838, 839–848, 849–858, 883–900, 941, 969–975, 976–984, 985–992, 1141–1147, 1148–1153, 1171–1178, 1208–1223, 1246–1254, 1255–1266, 1267–1272, 1290–1300, 1314
accuracy of radiotelemetry to estimate wolf activity and locations, 859–864
giant panda movements in Foping Nature Reserve, China, 1179–1188
spatial and temporal movement patterns of the flying fox, *Pteropus tonganus*, in American Samoa, 1154–1163
wildlife biology and natural history: time for a reunion, 933–946 — Invited Paper
Radiotransmitter, abdominal: 170–180, 883–900
Radiotransmitter, backpack: 170–180, 394–406, 883–900, 901–911, 985–992
Rail, black: 981
Rail, light-footed clapper: 981
Rail, Yuma clapper: 981
Rain: 1–18, 83, 140, 790–791, 1023–1030, 1040–1051
Rainfall:
rainfall, El Niño, and dynamics of mule deer in the Sonoran Desert, California, 1283–1289
Raintree: 1118–1127, 1128–1133
Raley, Catherine M., *see* Aubry, Keith B.
Rallus longirostris levipes, see Rail, light-footed clapper
Rallus longirostris yumanensis, see Rail, Yuma clapper
Rana boylii, see Frog, foothill yellow-legged
Rana catesbeiana, see Bullfrog
Rana clamitans, see Frog, bronze
***Rana palustris*:** 605–617
Rana utricularia, see Frog, southern leopard
Rana virgatipes, see Frog, pickerel
Randomization: 923–932
Rangifer tarandus, see Caribou
Raphael, Martin G., *see* Mack, Diane Evans
Rat:
conditioned taste aversion can reduce egg predation by rats, 1134–1140
Rat, rice: 947–968
Ratcliffe, Derek: 941–946
Ratti, John T., *see* Johnston, Heather L.
Rattlesnake, canebrake: 605–617
Rattus norvegicus, see Rat
Raven, common: 250–258, 377, 941, 1132
Ray, Daniel K., D. Wilson Freshwater, and Wm. David Webster. Multiplex PCR identification of eastern and Allegheny woodrats in zones of contact, 86–90
Receiver operating characteristic curve: 491–499
Recreation: 1104–1111
effects of cave tours on breeding *Myotis velifer*, 618–624
repeated human intrusion and the potential for nest predation by gray jays, 372–380
Recruitment: 181–193, 310–320, 757–775, 883–900, 1301–1307
Redstart, American: 414
Redwood National Park: 480
Regression, least square: 916–917
Regression, proportional hazard: 1208–1223
Regulus calendula, see Kinglet, ruby-crowned
Rehabilitation centers:
behavior, movements, and apparent survival of rehabilitated and free-ranging harbor seal pups, 19–28
post-release survival of river otters: effects of exposure to crude oil and captivity, 1208–1223
Reindeer, *see* Caribou
Reintroduction:
impact of repeated releases on space-use patterns of Persian fallow deer, 737–746
large-scale translocation strategies for reintroducing red-cockaded woodpeckers, 212–221
Release:
impact of repeated releases on space-use patterns of Persian fallow deer, 737–746
post-release survival of river otters: effects of exposure

to crude oil and captivity, 1208–1223
Relocation:
effects of colony relocation on diet and productivity of Caspian terns, 662–673
Renfree, Marilyn B., *see* Nave, Christopher D.
Repellent, nonlethal:
capsicum oleoresin as an elephant repellent: field trials in the communal lands of Zimbabwe, 674–677
conditioned taste aversion can reduce egg predation by rats, 1134–1140
lasers as nonlethal avian repellents, 250–258
Replication: 292–299
the importance of replication in wildlife research, 919–932 — Invited Paper
the role of hypothesis testing in wildlife science, 272–276
Reproduction: 425–432, 463–469, 1064–1082
effects of male age and female nutritional condition on elk reproduction, 1301–1307
effects of methyl parathion on white-winged dove productivity and reproductive behavior, 202–211
the effectiveness of selective removal of breeding coyotes in reducing sheep predation, 451–462
effects of cave tours on breeding *Myotis velifer*, 618–624
evaluation of indicated breeding pair criteria to estimate mallard breeding populations, 985–992
fertility control in the eastern grey kangaroo using levonorgestrel implants, 470–477
fertility control of eastern grey kangaroos: do levonorgestrel implants affect behavior?, 59–66
habitat and landscape associations of breeding birds in native and restored grasslands, 1011–1022
influence of the mating system of the Eurasian dipper on sex-specific local survival rates, 1023–1030
long-lasting, single-dose immunocontraception of feral fallow deer in British Columbia, 1141–1147
modeling impacts and costs of gray squirrel control regimes on the viability of red squirrel populations, 683–697
nest predation in forested regions: landscape and edge effects, 634–640
Research:
the importance of replication in wildlife research, 919–932 — Invited Paper
wildlife biology and natural history: time for a reunion, 933–946 — Invited Paper
Resource partitioning:
absence of sexual dimorphism in molar morphology of muskrats, 1189–1196
Restoration: 641–661
northern bobwhite population and habitat response to pine–grassland restoration, 1031–1039
Rhamnus caroliniana, see Buckthorn
Rhus hirta, see Sumac
Rhyacotriton variegatus, see Salamander, southern torrent
Ricca, Mark A., Robert G. Anthony, Dewaine H. Jackson, and Scott A. Wolfe. Survival of Columbian white-tailed deer in western Oregon, 1255–1266
Richards curve: 849–858
Ridley, Kemp's: 947–968
Riffell, Samuel K., *see* Gutzwiller, Kevin J.
Riggs, Michael R., *see* DelGiudice, Glenn D.
Riparian environment:
habitat selection by riparian songbirds breeding in southern Arizona, 1096–1103
home-range and habitat selection by adult cougars in southern California, 1235–1245
multiscale habitat relationships of stream amphibians in the Klamath–Siskiyou region of California and Oregon, 581–602
Risebrough, Robert:
wildlife biology and natural history: time for a reunion, 933–946 — Invited Paper
Rissa tridactyla, see Kittiwake
Roads: 491–499, 500–510, 579–580, 583, 833–838, 947–968, 1040–1051, 1118–1127, 1128–1133, 1235–1245
Robb, Joseph R. Band recovery and recapture rates of American black ducks and mallards, 153–161
Roberson, Jay A., *see* Glenn, Travis C.
Robin, American: 373, 1132
Robinia pseudoacacia, see Locust, black
Robinson, Daniel H., and Howard Wainer. On the past and future of null hypothesis significance testing, 263–271 — Invited paper
Roby, Daniel D., Ken Collis, Donald E. Lyons, David P. Craig, Jessica Y. Adkins, Anne Mary Myers, and Robert M. Suryan. Effects of colony relocation on diet and productivity of Caspian terns, 662–673
Rockfish: 1211
Rocky Mountain National Park: 757–775, 788–795
Rodewald, Amanda D. Nest predation in forested regions: landscape and edge effects, 634–640
Romanek, Christopher R., *see* Gaines, Karen F.
Roost, maternity:
effects of cave tours on breeding *Myotis velifer*, 618–624
a strategy for describing and monitoring bat habitat, 1148–1153
Rosell, Frank, *see* Parker, Howard
Rubin, Esther S., Walter M. Boyce, and Edward P. Caswell-Chen. Modeling demographic processes in an endangered population of bighorn sheep, 796–810
———, *see* Ernest, Holly B.
Rubus allegheniensis, see Blackberry
Rudolph, D. Craig, *see* Saenz, Daniel
Rushton, Stephen P., John Gurnell, Peter W. W. Lurz, and Robin M. Fuller. Modeling impacts and costs of gray squirrel control regimes on the viability of red squirrel populations, 683–697
Russell, Kevin R., Hugh G. Hanlin, T. Bently Wigley, and David C. Guynn, Jr. Responses of isolated wetland herpetofauna to upland forest management, 603–617
Russia: 190
Ryan, Mark R., *see* Budnik, Joel M.
———, *see* Larson, Michael A.

S

Sabal palmetto, see Palm, cabbage

Sabine, Dwayne L., Shawn F. Morrison, Heather A. Whitlaw, Warren B. Ballard, Graham J. Forbes, and Jeff Bowman. Migration behavior of white-tailed deer under varying winter climate regimes in New Brunswick, 718–728
Sacks, Benjamin N., *see* Blejwas, Karen M.
Saenz, Daniel, Kristen A. Baum, Richard N. Conner, D. Craig Rudolph, and Ralph Costa. Large-scale translocation strategies for reintroducing red-cockaded woodpeckers, 212–221
Safflower: 140
Sage, pasture: 40–47, 433–444
Sagebrush, big: 107–122, 433–444, 463–469, 729–736, 914
Sagebrush, silver: 433–444
Saguaro National Park: 969–975
Saimiri sciureus, see Monkey, squirrel
Salam: 1118–1127, 1128–1133
Salamander: 605–617
Salamander, black: 587–602
Salamander, California slender: 587–602
Salamander, marbled:
response of isolated wetland herpetofauna to upland forest management, 603–617
Salamander, mole:
response of isolated wetland herpetofauna to upland forest management, 603–617
Salamander, mud:
response of isolated wetland herpetofauna to upland forest management, 603–617
Salamander, Pacific giant:
multiscale habitat relationships of stream amphibians in the Klamath–Siskiyou region of California and Oregon, 581–602
Salamander, southern torrent: 581
Salamon, Dylan, *see* Poiani, Aldo
Salix geyeriana, see Willow, Geyer
Salix monticola, see Willow, mountain
Salix planifolia, see Willow, plane-leaf
Salix spp., *see* Willow
Salmon, chinook: 662–673
Salmon, coho: 662–673
Salmon, pink: 1211
Salmon, sockeye: 662–673
Salmonids:
effects of colony relocation on diet and productivity of Caspian terns, 662–673
Salsola kali, see Thistle, Russian
Salt, road: 505–510
Saltbush, sickle: 463–469
Saltz, David, *see* Dolev, Amit
Salvelinus fontinalis, see Trout, brook
Samanea saman, see Raintree
Sample: 923–932
distance sampling for Sonoran Desert tortoises, 969–975
effects of sampling effort based on GPS telemetry on home-range size estimations, 1290–1300
generic variance expressions, precision, and sampling optimization for the sex-age-kill model of population reconstruction, 1308–1316
San Joaquin River National Wildlife Refuge: 138–152, 901–911
Sánchez-Prieto, C. B., *see* Martínez, J. G.
Sapsucker: 228
Sapsucker, red-breasted: 625–633
Sarcobatus vermiculatus, see Greasewood
Sardine, Pacific: 662–673
Sardinops sagax, see Sardine, Pacific
Saskatchewan: 170–180, 551–563, 883–900, 985–992, 993–1010
Saskatoon: 361–371
***Scaevola taccada*:** 1154–1163
***Scaphiopus holbrookii*:** 605–617
Scaup, greater:
scaup migration patterns in North Dakota relative to temperatures and water conditions, 874–882
Scaup, lesser: 177
scaup migration patterns in North Dakota relative to temperatures and water conditions, 874–882
Schefflera actinophylla, see Umbrella tree
Schizachyrium scoparium, see Grass, little bluestem
Schwalbe, Cecil R., *see* Swann, Don E.
Schwarz's Information Criterion: 110–122, 729–736, 913–918
Schwikert, Stephen T., *see* Nesbitt, Stephen A.
Scincella lateralis, see Skink, ground
Sciurus carolinensis, see Squirrel, gray
Sciurus niger, see Squirrel, fox
Sciurus vulgaris, see Squirrel, red
Scoter: 866
Scotland: 445–450, 683–697, 1027
Scott, J. Michael, *see* Svancara, Leona K.
Scrapie: 554–563, 565
Scribner, Kim T., *see* Blanchong, Julie A.
Sea lion, California: 19
Sea lion, Steller: 1205, 1217
Seal, Atlantic harbor: 1205
Seal, elephant: 19
Seal, gray: 1141, 1205
Seal, harbor: 1209
behavior, movements, and apparent survival of rehabilitated and free-ranging harbor seal pups, 19–28
blood chemistry, hematology, and morphology of wild harbor seal pups in Alaska, 1197–1207
Seal, harp: 1206
Seal, northern elephant: 1205
Seal, northern fur: 1205
Sebastes spp., *see* Rockfish
Sedge, elk: 1246–1254
Sedge, Ross's: 1246–1254
Seiurus aurocapillus, see Ovenbird
Selenium: 811–821, 908
Semenoff-Irving, Marcia, *see* Howell, Judd A.
***Seminatrix pygaea*:** 605–617
Setophaga ruticilla, see Redstart, American
Sex ratio: 56
Sex specific:
influence of the mating system of the Eurasian dipper on sex-specific local survival rates, 1023–1030

Sexual dimorphism: 536–544
absence of sexual dimorphism in molar morphology of muskrats, 1189–1196
Sexual divergence: 228–231
Sexual segregation:
assessing sexual segregation in deer, 536–544
Shadscale: 463–469, 1148–1153
Shannon-Wiener diversity index: 583–602
Sharpshooters: 500–510
Shaw, Geoffrey, *see* Nave, Christopher D.
Shawnee National Forest: 822–832
Sheep: 46, 68
the effectiveness of selective removal of breeding coyotes in reducing sheep predation, 451–462
lynx depredation on domestic sheep in Norway, 98–105
Sheep, bighorn: 75–85, 86–90, 1283–1289
fecal DNA analysis and risk assessment of mountain lion predation of bighorn sheep, 75–85
modeling demographic processes in an endangered population of bighorn sheep, 796–810
survival and cougar predation of translocated bighorn sheep in Arizona, 1267–1272
Sheep, Rocky Mountain bighorn: 555–563
Shrike, loggerhead: 641–661
Sialia sialis, see Bluebird, eastern
SIC, *see* Schwarz's Information Criterion
Sickle pod: 1171–1178
Significance, biological: 369, 927–932
using multiple treatment levels as a means of improving inference in wildlife research, 292–299
Significance, scientific: 921–932
avoiding pitfalls when using information–theoretic methods, 912–918
on the past and future of null hypothesis significance testing, 263–271 — Invited Paper
Siler, Jiri, *see* Bartos, Ludek
Silvy, Nova J., *see* Peterson, M. Nils
Singapore: 1118–1127, 1128–1133
Singer, Francis J., *see* Lubow, Bruce C.
———, *see* Zeigenfuss, Linda C.
Siniff, Donald B., *see* Gelatt, Thomas S.
Sitta pusilla, see Nuthatch, brown-headed
Six-lined racerunner: 605–617
Skalski, John R., and Joshua J. Millspaugh. Generic variance expressions, precision, and sampling optimization for the sex-age-kill model of population reconstruction, 1308–1316
Skalski, John R., *see* Gove, Nancy E.
Skidmore, Andrew K., *see* Liu, Xuehua
Skink, ground:
response of isolated wetland herpetofauna to upland forest management, 603–617
Skow, Loren C., *see* Anderson, Joel D.
Skunk, striped: 178, 1112–1117, 1235–1245
predator activity related to landscape features in northern Iowa, 1224–1234
Slope: 1096–1103, 1104–1111
Small, Michael F., *see* Burkepile, Nathan A.
Smelt: 662–673
Smilax spp., *see* Greenbriar
Smith, Graham W., L. Charles Stoddart, and Frederick F. Knowlton. Long-distance movements of black-tailed jackrabbits, 463–469
Smith, Winston P., *see* Jenks, Jonathan A.
Snag: 222–231, 392–406, 1083–1095
cavity-nester habitat development in artificially made Douglas-fir snags, 625–633
Snail: 811–821
Snake: 240–249, 605–617, 1083–1095
inferring the absence of a species—a case study of snakes, 330–338
Snake, banded water: 605–617, 811–821
Snake, black racer:
response of isolated wetland herpetofauna to upland forest management, 603–617
Snake, black rat: 247–249
Snake, blue racer: 240–249
Snake, eastern indigo: 947–968
Snake, grass: 330–338
Snake, rainbow: 605–617
Snake, scarlet:
response of isolated wetland herpetofauna to upland forest management, 603–617
Snake, smooth: 330–338
Snake, southern ringneck: 605–617
Snake, worm:
response of isolated wetland herpetofauna to upland forest management, 603–617
Snare: 100, 451, 579, 859–864
Snow: 111, 124, 698–717, 718–728, 729–736, 757–775, 790–791, 829, 1246–1254
Snowberry, common: 433–444
Snowberry, western: 985–992
Sodhi, Navjot S., *see* Peh, Kelvin S.-H.
———, *see* Yap, Charlotte A.-M.
Sodium: 425–432, 1197–1207
Sodium fluoroacetate: 454
Solidago spp., *see* Goldenrod
Songbird, nests:
factors affecting predation at songbird nests in old fields, 240–249
Songbirds: 408–416, 417–424
Sonoran Desert: 969–975, 1096–1103, 1283–1289
Sorbus aucuparia, see Ash, mountain
Sorenson, Michael D., *see* Arnold, Todd W.
Sorghastrum nutans, see Grass, Indian
Sorghum: 1112–1117
Sorghum halepense, see Grass, Johnson
Sorghum spp., *see* Wheat, Egyptian
Sorghum vulgare, see Sorghum
Sørløkk, Gjermund, *see* Parker, Howard
South Carolina: 422, 603–617, 845, 1054–1063, 1064–1082
South Dakota: 361–371, 551–563, 875, 883–900, 993–1010, 1164, 1262, 1314
South Korea: 551–563
Soybean: 822–832
Spain: 1273–1282
Sparganium spp., *see* Burreed

Sparrow, Bachman's:
breeding bird response to midstory hardwood reduction in Florida sandhill longleaf pine forests, 641–661
Sparrow, field: 236–239
factors affecting predation at songbird nests in old fields, 240–249
Sparrow, grasshopper: 1011–1022
Sparrow, Henslow's: 1011–1022
Sparrow, house:
influence of daily grit consumption rate and diet on gizzard grit counts, 381–391
Sparrow, savannah: 1011–1022
Sparrow, white-throated: 203
Spathodea campanulata, see Tuliptree, African
Spatial analysis:
the inherent aggravation of aggregation: an example with elk aerial survey data, 776–787
Species richness: 1011–1022
Species, endangered: 212–221, 232, 330–338, 361–371, 737–746, 969–975, 1031–1039
cultural conflict and the endangered Florida Key deer, 947–968
defining quality of red-cockaded woodpecker foraging habitat based on habitat use and fitness, 1064–1082
giant panda movements in Foping Nature Reserve, China, 1179–1188
modeling demographic processes in an endangered population of bighorn sheep, 796–810
processes regulating the population dynamics of red-cockaded woodpecker cavities, 1083–1095
responses of Florida panthers to recreational deer and hog hunting, 839–848
survival of Columbian white-tailed deer in western Oregon, 1255–1266
Species, fossil:
absence of sexual dimorphism in molar morphology of muskrats, 1189–1196
Species, invasive: 1118–1127, 1128–1133, 1135–1140
Species, management indicator: 392–406
using raccoons as an indicator species for metal accumulation across trophic levels: a stable isotope approach, 811–821
Species, rare: 330–338
Species, threatened: 361–371, 865–873, 969–975, 976–984
Speyeria zerene myrtleae, see Butterfly, Myrtle's silverspot
Spheniscus demersus, see Penguin, African
Sphyrapicus ruber, see Sapsucker, red-breasted
Sphyrapicus spp., *see* Sapsucker
Spiza americana, see Dickcissel
Spizella pusilla, see Sparrow, field
Spraying: 203
Spruce, black: 698–717, 718–728, 747–756, 1290–1300
foraging ecology and use of drumming trees by three-toed woodpeckers, 222–231
Spruce, Engelmann: 1246–1254
Spruce, Norway: 92–97, 99–105, 683–697
Spruce, red: 718–728
Spruce, Sitka: 393–406, 683–697
Spruce, white: 698–717, 718–728, 747–756
Squirrel, fox: 678–682
Squirrel, gray: 678–682
modeling impacts and costs of gray squirrel control regimes on the viability of red squirrel populations, 683–697
Squirrel, red:
modeling impacts and costs of gray squirrel control regimes on the viability of red squirrel populations, 683–697
Stærk, Martin, *see* Parker, Howard
Stafford, Tamara R., *see* Best, Louis B.
Starling, Asian glossy: 1132
Starling, European: 203, 209, 250–258, 678–682, 1118–1127, 1132
Starling, gray: 1125
Starvation: 1208–1223
Statistic, Bayesian:
avoiding pitfalls when using information–theoretic methods, 912–918
assignment of individuals to populations: Bayesian methods and multi-locus genotypes, 321–329
of *BUGS* and birds: Markov chain Monte Carlo for hierarchical modeling in wildlife research, 277–291
on the past and future of null hypothesis significance testing, 263–271 — Invited Paper
Statistic, Shapiro-Wilk's: 172
Statistical paradigm:
avoiding pitfalls when using information–theoretic methods, 912–918
Statistical power: 292–293, 646–661, 912–918, 921–932, 1290–1300
Steatitis: 478–490
Steelhead: 662–673
Steidl, Robert J., *see* Mann, Sherry L.
———, *see* Powell, Brian F.
Stenopelmatus fuscus, see Cricket, Jerusalem
Sterilization: 451–462
Sterna caspia, see Tern, Caspian
Sterna dougallii, see Tern, roseate
Sterna hirundo, see Tern, common
Sterna paradisaea, see Tern, arctic
***Sternotherus odoratus*:** 605–617
Steury, Todd D., Aaron J. Wirsing, and Dennis L. Murray. Using multiple treatment levels as a means of improving inference in wildlife research, 292–299
Stewart, Kelley M., *see* Bowyer, R. Terry
Stickleback: 662–673
Stimulus, novel: 1224–1234
Stimulus, super-normal: 1138
***Stipa grandis*:** 40–47
***Stipa* spp.:** 42–47
Stochasticity: 133
Stoddart, L. Charles, *see* Smith, Graham W.
***Storeria dekayi*:** 605–617
***Storeria occipitomaculata*:** 605–617
Stouffer, Philip C., *see* Brown, David R.
Strauss, Richard, *see* Lewis, Patrick J.
Strix nebulosa, see Owl, great grey
Strix occidentalis caurina, see Owl, northern spotted

Strong, Cheryl M., *see* Brown, David R.
Sturnella magna, see Meadowlark, eastern
Sturnus cineraeus, see Starling, gray
Sturnus vulgaris, see Starling, European
Suburban environment:
survival and movements of white-tailed deer in suburban Chicago, Illinois, 500–510
Sucker: 662–673
Sumac: 125–130
Sunflower: 1011–1022
Survey, aerial: 107–108, 478–490, 666–673, 747–756, 757–775, 871, 904–911, 985–992
the inherent aggravation of aggregation: an example with elk aerial survey data, 776–787
Survey, at-sea:
probability of detecting marbled murrelets at sea: effects of single versus paired observers, 865–873
Survey, Breeding Bird: 993–1010, 1061–1063
Survey, call–response: 1031–1039
the effectiveness of call–response surveys for detecting least bitterns, 976–984
Survey, harvest-based: 557–563
Survey, point count: 408–416, 417–424
Survey, roadside: 1040–1051
Survey, Waterfowl Breeding Population and Habitat:
scaup migration patterns in North Dakota relative to temperatures and water conditions, 874–882
Survival: 113, 153–161, 300–309, 310–320, 407–416, 478–490, 500–510, 528–535, 883–900
behavior, movements, and apparent survival of rehabilitated and free-ranging harbor seal pups, 19–28
consequences of neckband and legband loss from giant Canada geese, 353–360
effects of colony relocation on diet and productivity of Caspian terns, 662–673
influence of the mating system of the Eurasian dipper on sex-specific local survival rates, 1023–1030
moose mortality in eastern interior Alaska, 747–756
proximate factors affecting male elk hunting mortality in northern Idaho, 491–499
proximate factors limiting population growth of white-tailed deer in Nova Scotia, 511–521
post-release survival of river otters: effects of exposure to crude oil and captivity, 1208–1223
September–March survival of female northern pintails radiotagged in San Joaquin Valley, California, 901–911
survival and cougar predation of translocated bighorn sheep in Arizona, 1267–1272
survival and movements of white-tailed deer in suburban Chicago, Illinois, 500–510
survival and philopatry of female redheads breeding in southwestern Manitoba, 162–169
survival of Columbian white-tailed deer in western Oregon, 1255–1266
survival of gadwall and mallard ducklings in south-central Saskatchewan, 170–180
survival of unexploited bobcats in southern Illinois, 833–838
winter severity, survival, and cause-specific mortality of female white-tailed deer in north-central Minnesota, 698–717
Suryan, Robert M., *see* Roby, Daniel D.
Sus scrofa, see Boar, wild
Sus scrofa, see Hog, feral
Svancara, Leona K., Edward O. Garton, Kang-Tsung Chang, J. Michael Scott, Peter Zager, and Michael Gratson. The inherent aggravation of aggregation: an example with elk aerial survey data, 776–787
Swann, Don E., Roy C. Averill-Murray, and Cecil R. Schwalbe. Distance sampling for Sonoran Desert tortoises, 969–975
Sweden: 91–97, 1164–1170
Sweet bay: 605–617
Swietenia macrophylla, see Mahogany, broad-leaved
Switzerland: 330
Sycamore, American: 528–535, 822–832
Sycamore, Arizona: 1096–1103
Sylvilagus floridanus, see Rabbit, cottontail
Sylvilagus palustris hefneri, see Rabbit, Lower Key marsh
Symphoricarpos albus, see Snowberry, common
Symphoricarpos occidentalis, see Snowberry, western
Symphoricarpos orbiculatus, see Coralberry
Syngamus trachea, see Worm, gape

T

Tabebuia pallida, see Tecoma, pink
Tag, ear: 31–39, 61–66, 83, 124, 480, 492, 500–510, 749–756, 1171–1178
Tag, nasal: 162–169, 171–180, 985–992
Tag, passive integrated transponder: 662–673, 1171–1178
Tag, permanent identification transponder: 1141–1147, 1171–1178
Tag, flipper: 31–39
Takatsuki, Seiki, *see* Jiang, Zhaowen
Tamalan: 1118–1127, 1128–1133
Tamarack: 223–231, 698–717
Tamarix spp., *see* Cedar, salt
Tanager, scarlet: 417–424, 634–640
Tanager, summer: 641–661
habitat selection by riparian songbirds breeding in southern Arizona, 1096–1103
Taper, Mark L., and Peter J. P. Gogan. The northern Yellowstone elk: density dependence and climatic conditions, 106–122
Taricha granulosa, see Newt, rough-skinned
Taste aversion:
conditioned taste aversion can reduce egg predation by rats, 1134–1140
Taxodium spp., *see* Cypress
Tayassu pecari, see Peccary
Tayassu tajacu, see Peccary
Teal, blue-winged: 250–258, 879–881, 991
Tea-tree: 60–66
Tecoma, pink: 1118–1127
Temperature: 5, 1040–1051
distribution and habitat selection of canyon wrens,

Lower Salmon River, Idaho, 1104–1111
scaup migration patterns in North Dakota relative to temperatures and water conditions, 874–882
Tennessee: 86–90, 159, 417–424, 528–535
***Terminalia catappa*:** 1154–1163
Terminalia catappa, see Almond, tropical
Tern: 251–258
Tern, arctic: 662–673
Tern, Caspian:
effects of colony relocation on diet and productivity of Caspian terns, 662–673
Tern, common: 662–673
Tern, roseate: 662–673
***Terrapene carolina*:** 603–617
Tetrao tetrix, see Grouse, black
Tetrao urogallus, see Capercaillie
Texas: 1–18, 202–212, 339–348, 459, 611, 845, 1036, 1040–1051, 1090, 1261
Thaleichthys pacificus, see Eulachon
***Thamnophis sauritus*:** 605–617
***Thamnophis sirtalis*:** 605–617
Theodore Roosevelt: 947–968
Theory, Ideal Free Distribution: 744–745
Theragra chalcogramma, see Pollock, walleye
Theuerkauf, Jörn, and Włodzimierz Jędrzejewski. Accuracy of radiotelemetry to estimate wolf activity and locations, 859–864
Thistle, Russian: 433–444
Thompson, Frank R., III, *see* Budnik, Joel M.
———, *see* Burhans, Dirk E.
Thompson, Jonathan E., *see* Glenn, Travis C.
Thorne, E. Tom, *see* Williams, Elizabeth S.
Thrasher, brown: 641–661
Thrush, hermit: 246–249, 373
demographic effects of habitat selection by hermit thrushes wintering in a pine plantation landscape, 407–416
Thrush, Taita: 325
Thrush, wood: 417–424, 634–640
Thryothorus ludovicianus, see Wren, Carolina
Thuja occidentalis, see Cedar, northern white
Thuja plicata, see Cedar, western red
Tilia americana, see Basswood
Timber harvest: 222, 580–600, 634–640, 920–932, 1031–1039, 1141–1147
breeding bird response to midstory hardwood reduction in Florida sandhill longleaf pine forests, 641–661
response of isolated wetland herpetofauna to upland forest management, 603–617
Time budget:
activity patterns and time budgets of the declining sea otter population at Amchitka Island, Alaska, 29–39
Tinelli, Aleandro, *see* Focardi, Stefano
Titmouse, tufted: 417–424
breeding bird response to midstory hardwood reduction in Florida sandhill longleaf pine forests, 641–661
Toad, eastern narrowmouth:
response of isolated wetland herpetofauna to upland forest management, 603–617
Toad, oak:
response of isolated wetland herpetofauna to upland forest management, 603–617
Toad, southern:
response of isolated wetland herpetofauna to upland forest management, 603–617
Tompkins, Daniel M., David M. B. Parish, and Peter J. Hudson. Parasite-mediated competition among red-legged partridges and other lowland gamebirds, 445–450
Tonsils: 551–563
evaluation of antemortem sampling to estimate chronic wasting disease prevalence in free-ranging mule deer, 564–573
Tooth eruption: 1166, 1210
absence of sexual dimorphism in molar morphology of muskrats, 1189–1196
growth curve models and age estimation of young cougars in the northern Great Basin, 849–858
Tortoise, desert:
distance sampling for Sonoran Desert tortoises, 969–975
***Tournefortia argentea*:** 1154–1163
Towhee, eastern: 417–424, 641–661
Townsend, Richard L., *see* Gove, Nancy E.
Toxicodendron radicans, see Ivy, poison
Toxostoma rufum, see Thrasher, brown
Trachemys scripta, see Turtle, yellowbelly slider
Track stations:
predator activity related to landscape features in northern Iowa, 1224–1234
Translocation:
large-scale translocation strategies for reintroducing red-cockaded woodpeckers, 212–221
Transmissible mink encephalopathy: 554–563
Transmissible spongiform encephalopathy: 551–563, 564–573
Trap, bait: 811–821, 1141–1147
Trap, board: 394
Trap, box: 100, 512, 1171–1178
Trap, cage: 683–697, 1171–1178
Trap, Clover: 124, 566, 718–728
Trap, decoy: 163, 251, 985–992
Trap, drawstring: 60, 472
Trap, drive: 163
Trap, foothold: 833–838, 859–864
Trap, leghold: 451
Trap, nest: 163
Trap, pitfall: 605–617
Trap, swim-in: 154
Tree, drumming:
foraging ecology and use of drumming trees by three-toed woodpeckers, 222–231
Tree, nest:
selection of nest and roost trees by pileated woodpeckers in coastal Washington, 392–405
Tree, roost:
characteristics of nocturnal roosts of house crows in Singapore, 1128–1133

roost characteristics of invasive mynas in Singapore, 1118–1127
selection of nest and roost trees by pileated woodpeckers in coastal Washington, 392–405
***Trichaptum abietinum*:** 625–633
Trifolium pratense, see Clover, red
Trifolium subterraneum, see Clover, sub
Triphysaria floribunda, see Clover, San Francisco owl's
Triticum aestivum, see Wheat, winter
Trophic level:
using raccoons as an indicator species for metal accumulation across trophic levels: a stable isotope approach, 811–821
Trout, brook: 935
Trout, rainbow: 935
Trumble, Stephen J., and Michael A. Castellini. Blood chemistry, hematology, and morphology of wild harbor seal pups in Alaska, 1197–1207
Tsuga canadensis, see Hemlock, eastern
Tsuga heterophylla, see Hemlock, western
Tuberculosis, bovine: 321–329, 684
Tularemia: 463–469
Tuliptree, African: 1128–1133
Turbidity, water: 199–201
Turdus helleri, see Thrush, Taita
Turdus migratorius, see Robin, American
Turkey, wild: 641–661, 942, 1119
Turtle, eastern mud:
response of isolated wetland herpetofauna to upland forest management, 603–617
Turtle, hawksbill: 947–968
Turtle, leatherback: 947–968
Turtle, loggerhead: 947–968
Turtle, yellowbelly slider:
response of isolated wetland herpetofauna to upland forest management, 603–617
Tussock: 131–137
Typha spp., *see* Cattail
Tyrannus tyrannus, see Kingbird, eastern
Tzilkowski, Walter M., Margaret C. Brittingham, and Matthew J. Lovallo. Wildlife damage to corn in Pennsylvania: farmer and on-the-ground estimates, 678–682

U

Ulex europaeus, see Gorse
Umbilical infection: 478–490
Umbrella tree: 1118–1127, 1128–1133
United Kingdom: 445–450, 683–697
Urban environment: 1028, 1148–1153
characteristics of nocturnal roosts of house crows in Singapore, 1128–1133
roost characteristics of invasive mynas in Singapore, 1118–1127
seasonal movements and habitat use of female white-tailed deer associated with an urban park, 123–130
survival of Columbian white-tailed deer in western Oregon, 1255–1266
Urban sprawl: 491–499, 818
Uria aalge, see Murres, common
Urocyon cinereoargenteus, see Fox, gray
Ursus americanus, see Bear, black
Ursus arctos, see Bear, brown
Ursus maritimus, see Bear, polar
Utah: 140–152, 451, 459–460, 463–469, 849–858

V

Vaccine:
long-lasting, single-dose immunocontraception of feral fallow deer in British Columbia, 1141–1147
Vaccinium spp., *see* Blueberry
Van Deelen, Timothy R., *see* Etter, Dwayne R.
Vankova, Dominika, *see* Bartos, Ludek
Veery: 417–424
Vehicle collision: 698–717, 833–838, 947–968, 1259–1266
Verdin:
habitat selection by riparian songbirds breeding in southern Arizona, 1096–1103
Vigna spp., *see* Cowpea
Viper, asp: 330–338
Vipera aspis, see Viper, asp
Vireo bellii, see Vireo, Bell's
Vireo bellii pusillus, see Vireo, least Bell's
Vireo griseus, see Vireo, white-eyed
Vireo olivaceus, see Vireo, red-eyed
Vireo solitarius, see Vireo, blue-headed
Vireo, Bell's:
effect of habitat characteristics on the probability of parasitism and predation of Bell's vireo nests, 232–239
habitat selection by riparian songbirds breeding in southern Arizona, 1096–1103
Vireo, blue-headed: 417–424
Vireo, least Bell's: 232–239
Vireo, red-eyed: 417–424, 634–640, 641–661
Vireo, white-eyed: 641–661
Virginia: 417–424
***Virginia valeriae*:** 605–617
Virus, bluetongue: 749–756
Virus, bovine rhinotracheitis: 749–756
Virus, bovine viral diarrhea: 749–756
Virus, epizootic hemorrhagic: 749–756
Virus, parainfluenza 3: 749–756
Virus, polyhedrosis: 945
Virus, respiratory syncytial: 749–756
Vital rates:
sensitivity analyses of the life cycle of midcontinent mallards, 883–900
Vitamin A: 9
Vitis spp., *see* Grape, wild
Vivion, Michael T., *see* Bertram, Mark R.
Vocalization: 1031–1039
the effectiveness of call–response surveys for detecting least bitterns, 976–984
Vole, prairie: 822–832
Vulpes vulpes, see Fox, red
Vulture: 250–258
Vulture, turkey: 250–258, 454–462

W

Waggerman, Gary L., *see* Burkepile, Nathan A.
Wainer, Howard, *see* Robinson, Daniel H.
Wallaby, tammar: 59, 470–477
Walnut, black: 528–535
Walters, Jeffrey R., Susan J. Daniels, Jay H. Carter, III, and Phillip D. Doerr. Defining quality of red-cockaded woodpecker foraging habitat based on habitat use and fitness, 1064–1082
———, *see* Harding, Sergio R.
Wang, Tiejun, *see* Liu, Xuehua
Wang, Wen, *see* Jiang, Zhaowen
Warbler, black-and-white: 417–424, 641–661
Warbler, black-throated blue: 413–414, 417–424
Warbler, black-throated green: 417–424
Warbler, Canada: 417–424
Warbler, chestnut-sided: 417–424
Warbler, hooded: 417–424, 641–661
Warbler, Kentucky: 634–640
Warbler, pine: 641–661
Warbler, prairie: 641–661
Warbler, willow: 372
Warbler, worm-eating: 417–424
Warbler, yellow: 634–640
Warbler, yellow-rumped: 373
Warbler, yellow-throated: 417–424
Ware, Glenn O., *see* Jones, David D.
Warner, Richard E., *see* Etter, Dwayne R.
Warren, Robert J., *see* Jones, David D.
Washington: 140–152, 392–406, 582, 865–873, 1255
Water: 1014
  scaup migration patterns in North Dakota relative to temperatures and water conditions, 874–882
Water table:
  influences of herbivory and water on willow in elk winter range, 788–795
Wattle, coast: 60–66
Weather: 37–38, 40–47, 106–122, 176–178, 181–193, 240–249, 478–490, 729–736, 829, 883–900, 969, 1290–1300
  rainfall, El Niño, and dynamics of mule deer in the Sonoran Desert, California, 1283–1289
  relative abundance of bobwhites in relation to weather and land use, 1040–1051
Webster, Wm. David, *see* Ray, Daniel K.
Welsh, Hartwell H., Jr., and Amy J. Lind. Multiscale habitat relationships of stream amphibians in the Klamath–Siskiyou region of California and Oregon, 581–602
Wetland: 125–130, 875, 902, 976–984, 1189–1196
  long-term response of northern pintails to changes in wetlands and agriculture in the Canadian Prairie Pothole Region, 993–1010
  response of isolated wetland herpetofauna to upland forest management, 603–617
Wetland Reserve Program: 1006
Wheat: 140
Wheat, Egyptian: 1112–1117
Wheat, winter: 662–673, 1112–1117
Whitlaw, Heather A., *see* Kamler, Jan F.
———, *see* Sabine, Dwayne L.
Wiggers, Ernie P., *see* Grund, Marrett D.
Wigley, T. Bently, *see* Russell, Kevin R.
Williams, Elizabeth S., Michael W. Miller, Terry J. Kreeger, Richard H. Kahn, and E. Tom Thorne. Chronic wasting disease of deer and elk: a review with recommendations for management, 551–563 — Invited Paper
———, *see* Wolfe, Lisa L.
Williams, Stephen A., *see* Zeigenfuss, Linda C.
Willow: 92–97, 131–137, 757–775
  influences of herbivory and water on willow in elk winter range, 788–795
Willow, Geyer: 788–795
Willow, mountain: 788–795
Willow, plane-leaf: 788–795
Wilson, E. O.:
  wildlife biology and natural history: time for a reunion, 933–946 — Invited Paper
Wilsonia canadensis, *see* Warbler, Canada
Wilsonia citrina, *see* Warbler, hooded
Winema National Forest: 729
Winter: 40–47, 55, 83, 106–122, 140–152, 223–231, 339–348, 417–424, 511–521, 729–736, 993–1010, 1040–1051, 1171–1178, 1179–1188, 1255–1266, 1301–1307
  bison and elk: brucellosis seroprevalence on a shared winter range, 1246–1254
  demographic effects of habitat selection by hermit thrushes wintering in a pine plantation landscape, 407–416
  dynamics of interacting elk populations within and adjacent to Rocky Mountain National Park, 757–775
  migration behavior of white-tailed deer under varying winter climate regimes in New Brunswick, 718–728
  winter severity, survival, and cause-specific mortality of female white-tailed deer in north-central Minnesota, 698–717
Winter Severity Index: 111–122, 698–717, 1255–1266, 1301–1307
Winterstein, Scott R., *see* Blanchong, Julie A.
Wirsing, Aaron J., *see* Steury, Todd D.
Wisconsin: 551–563
Wolf: 98, 102, 107, 512–520, 698–717, 747–756, 773, 859–864, 919, 1138, 1165
Wolfe, Lisa L., Mary M. Conner, Thomas H. Baker, Victoria J. Dreitz, Kenneth P. Burnham, Elizabeth S. Williams, N. Thompson Hobbs, and Michael W. Miller. Evaluation of antemortem sampling to estimate chronic wasting disease prevalence in free-ranging mule deer, 564–573
Wolfe, Scott A., *see* Bowyer, R. Terry
———, *see* Ricca, Mark A.
Wolverine: 98–99
Woodchuck: 678–682
Woodpecker, black-backed: 228
Woodpecker, downy: 641–661
Woodpecker, hairy: 625–633, 641–661

Woodpecker, pileated: 417–424, 641–661, 1091
selection of nest and roost trees by pileated woodpeckers in coastal Washington, 392–405
Woodpecker, red-bellied: 641–661, 1091
Woodpecker, red-cockaded:
breeding bird response to midstory hardwood reduction in Florida sandhill longleaf pine forests, 641–661
defining quality of red-cockaded woodpecker foraging habitat based on habitat use and fitness, 1064–1082
large-scale translocation strategies for reintroducing red-cockaded woodpeckers, 212–221
northern bobwhite population and habitat response to pine–grassland restoration, 1031–1039
processes regulating the population dynamics of red-cockaded woodpecker cavities, 1083–1095
Woodpecker, red-headed: 1091
breeding bird response to midstory hardwood reduction in Florida sandhill longleaf pine forests, 641–661
Woodpecker, three-toed:
foraging ecology and use of drumming trees by three-toed woodpeckers, 222–231
Woodrat: 86–90
Woodrat, Allegheny:
multiplex PCR identification of eastern and Allegheny woodrats in zones of contact, 86–90
Woodrat, eastern:
multiplex PCR identification of eastern and Allegheny woodrats in zones of contact, 86–90
Woolf, Alan, *see* Kolowski, Joseph M.
———, *see* Nielsen, Clayton K.
Worm, gape: 445–450
Wren, canyon:
distribution and habitat selection of canyon wrens, Lower Salmon River, Idaho, 1104–1111
Wren, Carolina: 417–424, 641–661
Wren, sedge: 1014
Wyoming: 106–122, 372–380, 551–563, 564–573, 758

Y

Yap, Charlotte A.-M., Navjot S. Sodhi, and Barry W. Brook. Roost characteristics of invasive mynas in Singapore, 1118–1127
Yaupon: 408–416
Yellow flame: 1118–1127
Yellowstone National Park: 106–122, 457, 771–775, 794, 1246–1254
***Yersinia pseudotuberculosis*:** 1258–1266
Yom-Tov, Yoram, *see* Dolev, Amit
Yong, Yange, *see* Liu, Xuehua
Yukon Flats National Wildlife Refuge: 747–756

Z

Zager, Peter, *see* Gove, Nancy E.
———, *see* Hayes, Stephen G.
———, *see* Svancara, Leona K.
Zalophus californianus, see Sea lion, California
Zanthocephalus xanthocephalus, see Blackbird, yellow-headed
Zea mays, see Corn
Zeigenfuss, Linda C., Francis J. Singer, Stephen A. Williams, and Therese L. Johnson. Influences of herbivory and water on willow in elk winter range, 788–795
Zenaida asiatica, see Dove, white-winged
Zenaida macroura, see Dove, mourning
Zimbabwe: 674–677
Zinc: 811–821
Zonotrichia albicollis, see Sparrow, white-throated